



**THOMAS E. FERGUSON**  
 AUDITOR OF STATE  
 COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN  
 Administration

RICHARD G. NUSS  
 CPA  
 Auditing Division

RUSSELL ROUCH  
 Management Advising  
 Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:

1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke  
 Supervisor  
 State Land Office



O R S  
 R T  
 15 20

## Township No. 20, Range No. 15.

Chas. L. K.

Monday, March 16<sup>th</sup>, 1807.

North Between Secs. 35 & 36.  
 30.00 A W. Oak, 18 ins. diam.  
 40.00 Set  $\frac{1}{4}$  Post; no bearing trees to be found.  
 80.00 Set Section Post for 35, 36, 25, 26, from which  
 a Quaking Asp, 3 ins. diam. bears S. 35 W. 11  
 links; a Quaking Asp, 3 ins. diam. bears  
 N. 83 E. 11 links distant. Poor scrubby W.  
 Oak land.

East Rainbow between Secs. 25 & 36.  
 40.00 Set  $\frac{1}{4}$  temporary Post.  
 81.10 Fell 100 links S. of Post on Town Line. Over  
 poor land; Timber, W. Oak, B. Oak, and  
 thick with scrubby W. Oak bushes.

West On True Line between Secs. 25 & 36.  
 40.55 Set  $\frac{1}{4}$  Post at average measure, from which a  
 B. Oak, 36 ins. diam. bears N. 5 W. 50 links;  
 a B. Oak, 6 ins. diam. bears S. 35 W. 26 links  
 distant.  
 81.10 Section Corner.

Tuesday, March 17<sup>th</sup>, 1807.

North Between Secs. 34 & 35.  
 40.00 Set  $\frac{1}{4}$  Post; no bearing trees to be found.  
 80.00 Set Section Post for 34, 35, 26, 27, from which  
 a W. Oak, 18 ins. diam. bears S. 86 E. 32 links;  
 a W. Oak, 14 ins. diam. bears N. 27 W. 31  
 links distant. Very poor land; Timber, W.  
 Oak, B. Oak, and grown up thick with oak bushes & grape vines.

North Between Secs. 33 & 34.  
 12.00 Brook, 6 links, S. W.

## Township No. 20, Range No. 15.

23.00	A W. Oak, 18 ins. diam.
33.00	Brook, 4 links, W.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 12 ins. diam. bears N. 21 W. 35 links; a W. Oak, 10 ins. diam. bears N. 23 E. 21 links distant.
65.00	Struck Mithickens Creek, 100 links, S. W.
71.00	A B. Oak, 20 ins. diam.
80.00	Set Section Corner for 33, 34, 27, 28, from which a W. Oak, 18 ins. diam. bears S. 21 W. 16 links; a W. Oak, 22 ins. diam. bears N. 27 E. 16 links distant. Poor W. Oak land; Underbrush, Huckle.
North Between Secs. 32 & 33.	
27.00	Brook, 6 links, S. E.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 11 ins. diam. bears S. 76 W. 19 links; a W. Oak, 15 ins. diam. bears N. 4 E. 16 links distant.
47.20	Brook, 12 links, East.
80.00	Set Section Post; no bearing trees to be found. Poor land; some few W. Oaks.
North Between Secs. 31 & 32.	
7.50	W. Oak, 16 ins. diam.
16.00	Brook, 4 links, S. E.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 12 ins. diam. bears S. 20 W. 39 links; a W. Oak, 15 ins. diam. bears N. 16 E. 27 links distant.
44.50	A W. Oak, 10 ins. diam.
80.00	Set Section Post for 31, 32, 29, 30, from which a W. Oak, 10 ins. diam. bears S. 16 W. 13 links; a W. Oak, 20 ins. diam. bears N. 27 E. 26 links distant. Level poor land; Timber, W. Oak, B. Oak, &c. March 16, 1807.

Township No. 20, Range No. 15.

Cts. Mts.	
West	Between Secs. 30 & 31.
26.00	Brook, 5 links, S. E.
40.00	Set 1/4 Post, from which a W. Oak, 12 ins. diam. bears S. 11 E. 7 links; a W. Oak, 20 ins. diam. bears N. 30 W. 9 links distant.
47.50	A W. Oak, 18 ins. diam.
79.00	Intersected Range Line, 75 links S. of Corner, from which a W. Oak, 10 ins. diam. bears S. 16 W. 18 links; a W. Oak, 12 ins. diam. bears N. 17 E. 29 links distant. Poor level, <sup>W. Oak</sup> land.
East	Ranrow between Secs. 29 & 32.
16.00	Brook, 6 links, S. E.
23.00	Brook, 10 links, S. E.
40.00	Set 1/4 temporary Post.
47.00	Brook, 4 Mts, S.
61.00	Brook, 6 Mts, S. E.
80.60	Fell 54 Mts. N. of corner for 28, 29, 32, 33. - Over level poor land; Timber, W. Oak, B. Oak, Yc.
East	Ranrow between Secs. 28 & 33.
33.00	Brook, 4 Mts, N.
40.00	Set 1/4 Post temporary.
47.00	Brook, 4 Mts, N. E.
53.00	Brook, 6 Mts, S. W.
80.00	Fell 26 Mts. N. of corner for 27, 28, 33, 34. Over level land; Timber, W. Oak, B. Oak; Hardwood, Maple.
East	Ranrow between Secs. 27 & 34.
16.00	Brook, 6 links, South.
40.00	Set 1/4 Post temporary.
70.00	Struck the creek, 125 links, S. E.
80.20	Fell 30 Mts. N. of corner for 26, 27, 34, 35. Over

## Township No. 20, Range No. 15.

Chs. Lks.

level land, just half mile, timber, W. Oak; but  
half no timber.

East Random between Secs. 26 &amp; 35.

40.00 Set  $\frac{1}{4}$  Post temporary.

48.50 Brook, 20 links, N. 70°

63.00 Brook, 4 links, S. W.

74.75 Fell N. of corner for 25, 26, 35, 36, 26 links. -  
Over level land; Timber, W. Oak, B. Oak, Hick-  
ory, &c.

North Between Secs. 25 &amp; 26.

16.00 A W. Oak, 18 ins. diam.

29.00 Stream out of the Lake, 40 lks, West

40.00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 18 ins. diam.  
bears S. 21 W. 16 links; a W. Oak, 6 ins. diam.  
bears N. 17 E. 27 links distant.

51.00 A B. Oak, 40 ins. diam.

80.00 Set Section Post for 23, 24, 25, 26, from which  
a W. Oak, 30 ins. diam. bears N. 11 E. 41 lks;  
a W. Oak, 6 ins. diam. bears S. 27 W. 39 lks. distant.  
Poor level W. Oak land.

East Random between Secs. 24 &amp; 25.

40.00 Set  $\frac{1}{4}$  Post temporary.80.00 Intersected Range Line, 120 lks. South of corner  
for Secs. 24 & 25. Over poor level W. Oak land.

West On True Line between Secs. 24 &amp; 25.

26.00 A W. Oak, 12 ins. diam.

40.00 Set  $\frac{1}{4}$  Post at average measure, from which  
a W. Oak, 10 ins. diam. bears N. 17 W. 26 lks;  
a W. Oak, 24 ins. diam. bears S. 15 E. 37 lks.  
distant.

## Township No. 20, Range No. 15.

Chs. Lks.

57-00 A W. Oak, 12 ins. diam.

80-00 Section Corner.

West On True Line between Secs. 26 &amp; 35.

27-50 A W. Oak, 18 ins. diam.

39-57.5 Set  $\frac{1}{4}$  Post at average measure, from which a W. Oak, 6 ins. diam. bears S. 27 $^{\circ}$  E. 16 lks.; a W. Oak, 24 ins. diam. bears N. 43 $^{\circ}$  W. 11 lks. distant.

53-00 A B. Oak, 24 ins. diam.

79-75 Section Corner.

Wednesday, March 25<sup>th</sup>, 1807.

North Between Secs. 26 &amp; 27.

14-00 Branch that comes out of the Lake, 40 lks. wide, West.

23-00 A W. Oak, 18 ins. diam.

40-00 Set  $\frac{1}{4}$  Post; no bearing trees to be found.

65-00 Struck Pond, 14 chains wide.

80-00 Set Section Post; no bearing trees to be found.  
Poor wet land; Timber, W. Oak, B. Oak, &c.

West On True Line between Secs. 27 &amp; 34.

40-10 Set  $\frac{1}{4}$  Post at average measure; no bearing trees to be found.

47-00 A W. Oak, 18 ins. diam.

80-20 Section Corner.

North Between Secs. 27 &amp; 28.

6-00 Struck a Swamp 10 chains wide.

19-20 A W. Oak, 24 ins. diam.

40-00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 10 ins. diam. bears S. 17 $^{\circ}$  E. 6 links; a W. Oak, 6 ins. diam. bears N. 45 $^{\circ}$  W. 6 links distant.

47-00 A W. Oak, 10 ins. diam.

## Township No. 20, Range No. 15.

40.00	Set Section Post for 21, 22, 27, 28, from which a W. Oak, 12 ins. diam. bears N. 40° 3' W. 114; a W. Oak, 5 ins. diam. bears N. 45° 11' 4" W. 114 distant. Poor level land; Timber, W. Oak, C. Oak, Blue, &c.
West	On True Line between Secs. 28 & 33.
18.00	A W. Oak, 12 ins. diam.
40.00	Set $\frac{1}{4}$ Post at average measure, from which a W. Oak, 10 ins. diam. bears S. 16° 18' links; a W. Oak, 18 ins. diam. bears N. 27° E. 14 links distant.
80.00	Section Corner.
North	Between Secs. 28 & 29.
16.00	A W. Oak, 36 ins. diam.
27.00	A B. Oak, 20 ins. diam.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 10 ins. diam. bears S. 21° W. 18 links; a W. Oak, 14 ins. diam. bears N. 16° E. 17 links distant.
47.00	Struck Swamp, 30 chains wide.
80.00	Set Section Post for 20, 21, 28, 29, from which a W. Oak, 18 ins. diam. bears N. 21° W. 30 links; a W. Oak, 24 ins. diam. bears S. 17° E. 38 links distant. First half poor W. Oak land; last half a Swamp.
West	On True Line between Secs. 29 & 32.
7.50	A Chestnut, 36 ins. diam.
18.50	A W. Oak, 12 ins. diam.
40.30	Set $\frac{1}{4}$ Post at average measure, from which a W. Oak, 10 ins. diam. bears S. 21° E. 18 links; a W. Oak, 14 ins. diam. bears N. 36° W. 27 links distant.
80.60	Section Corner.

## Township No. 20, Range No. 15.

Chs. Mts.	
	North Between Secs. 29 & 30.
16.00	Brook, 6 links, S. E.
27.00	A W. Oak, 12 ins. diam.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 12 ins. diam. bears S. 16 E. 18 links; a W. Oak, 18 ins. diam. bears N. 27 W. 20 Mts. distant.
47.00	Brook, 10 links, S. E.
53.00	A W. Oak, 10 ins. diam.
80.00	Set Section Post for 19, 20, 29, 30. No bearing trees to be found. Poor level W. Oak land.
	West Between Secs. 19 & 30.
16.20	A W. Oak, 20 ins. diam.
25.00	Brook, 6 Mts., S. W.
26.50	Brook, 12 Mts., S. E.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 10 ins. diam. bears S. 20 E. 16 links; a W. Oak, 16 ins. diam. bears N. 18 W. 20 Mts. distant.
53.00	A W. Oak, 8 ins. diam.
79.00	Intersected Range Line, 116 Mts. S. of corner for 19 & 30, from which a Pin Oak, 4 ins. diam. bears S. 28 E. 3 Mts.; a Pin Oak, 2 ins. diam. bears N. 81 E. 37 links distant. Poor hilly W. Oak land.
	East Random between Secs. 20 & 29.
37.50	Brook, 6 links, South.
40.00	$\frac{1}{4}$ Post temporary.
41.50	Brook, 6 Mts., South.
59.00	Brook, 6 Mts., S. W.
80.20	Fell 43 links North of corner for 20, 21, 28, 29. Over hilly land; Timber, W. Oak, B. Oak, Pin Oak, &c.



## Township No. 20, Range No. 15.

6 hrs. 1/2	1/2
East	Random between Secs. 21 & 25.
3:00	Brook, 4 Mts. S.
40:00	Set 1/4 Post temporary.
47:00	Struck Swamp, 24 chains wide.
81:00	Fell 40 Mts. N. of corner for 21, 22, 27, 25. First half mile hilly poor W. Oak land; rest half a swamp.
East	Random between Secs. 22 & 27.
30:00	Brook, 4 Mts., S. E.
39:50	Creek, 100 links, S. E.
40:00	1/4 Post temporary; fell in creek.
80:00	Fell 70 Mts. N. of corner for 22, 23, 26, 27. Over level land; Timber, W. Oak, B. Oak, Hickory, Dogwood.
East	Random between Secs. 23 & 26.
16:50	Struck Pond, 30 chains wide.
40:00	1/4 Post in Swamp.
57:00	Brook, 6 Mts., S. W.
63:00	Brook, 4 Mts., S. W.
80:40	Fell 55 Mts. North of corner for 23, 24, 25, 26. Over level land; Timber, W. Oak, B. Oak.

Thursday, March 26<sup>th</sup>, 1807.

North	Between Secs. 23 & 24
16:00	A W. Oak, 16 ins. diam.
40:00	Set 1/4 Post at average measure, from which a W. Oak, 12 ins. diam. bears S. 16 W. 39 Mts.; a W. Oak, 10 ins. diam. bears N. 21 E. 17 Mts. distant.
74:50	A W. Oak, 15 ins. diam.
80:00	Set Section Post for 13, 14, 23, 24, from which a W. Oak, 15 ins. diam. bears N. 78 W. 60 Mts.; a W. Oak, 6 ins. diam. bears S. 87 E. 34 Mts. distant. Level land; Timber, W. Oak, B. Oak, generally.

## Township No. 20, Range No. 15.

6 h. 20 m.	
East	Raid Down between Secs. 13 & 24.
40.00	Set $\frac{1}{4}$ Post temporary.
76.00	Brook, 4 links, South.
80.00	Intersected Range Line, 105 links North of Corner. Over level land; Timber, W. & P. Oak, &c.
West	On True Line between Secs. 13 & 24.
31.00	A W. Oak, 12 ins. diam.
40.00	Set $\frac{1}{4}$ Post at average measure, from which a W. Oak, 10 ins. diam. bears S. 21 W. 16 links; a W. Oak, 24 ins. diam. bears N. 18 E. 37 links distant.
51.50	A W. Oak, 10 ins. diam.
80.00	Section Corner.
West	On True Line between Secs. 23 & 26.
16.20	A W. Oak, 18 ins. diam.
40.20	Set $\frac{1}{4}$ Post at average measure, from which a W. Oak, 18 ins. diam. bears S. 27 W. 14 links; a W. Oak, 24 ins. diam. bears N. 16 E. 6 links distant.
80.40	Section Corner.
North	Between Secs. 22 & 23.
10.50	Struck a Pond, 50 chains wide; took an offset of 3 cuts.
65.00	Return from offset on True Line.
72.00	A W. Oak, 20 ins. diam.
80.00	Set Sit Section Post for 14, 15, 22, 23, from which a W. Oak, 10 ins. diam. bears S. 17 W. 12 links; a W. Oak, 15 ins. diam. bears N. 26 W. 11 links distant. Level poor land; Timber, W. Oak, B. Oak, generally.

## Township No. 20, Range No. 15.

6th. 20.

West On True Line between Secs. 22 &amp; 27.

17.00 A W. Oak, 24 ins. diam.

40.30 Set  $\frac{1}{4}$  Post at average measure, from which  
a W. Oak, 12 ins. diam. bears S. 76. 16 lbs.;  
a W. Oak, 14 ins. diam. bears N. 11 W. 15  
links distant.

67.20 A W. Oak, 12 ins. diam.

80.60 Section Corner.

North Between Secs. 21 &amp; 22.

5.50 Brook, 6 links, S. E.

22.00 A W. Oak, 20 ins. diam.

40.00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 10 ins. diam.  
bears S. 20 W. 15 links; a W. Oak, 15 ins. diam.  
bears N. 18 E. 27 links distant.

49.50 Brook, 6 lbs, S. E.

58.50 Brook, 6 lbs, S. E.

63.00 A W. Oak, 18 ins. diam.

80.00 Set Section Post for 15, 16, 21, 22, from which  
a W. Oak, 12 ins. diam. bears S. 61 W. 32  
links; a W. Oak, 10 ins. diam. bears S. 70 E.  
28 links distant. Hilly land; Timber, W.  
Oak, B. Oak, Hickory, Dogwood.

West On True Course between Secs. 21 &amp; 25.

40.30 Set  $\frac{1}{4}$  Post at average measure, from which a  
W. Oak, 10 ins. diam. bears S. 17 W. 8 lbs.; a  
W. Oak, 14 ins. diam. bears N. 27 E. 6 lbs. dist.

53.00 A W. Oak, 20 ins. diam.

80.60 Section Corner.

North Between Secs. 20 &amp; 21.

16.00 A W. Oak, 18 ins. diam.

40.00 Set  $\frac{1}{4}$  Post; no bearing trees to be found.

Township No. 20, Range No. 15,

163

60.00	Set Section Post for 20, 21, 16, 17; no bearing trees to be found. Silty poor land; no timber; Underbrush, Waste and Oak bushes.
West	On True Line between Secs. 20 & 29.
7.50	A W. Oak, 10 ins. diam.
16.20	A B. Oak, 16 ins. diam.
40.10	Set $\frac{1}{4}$ Post at average measure, from which a W. Oak, 10 ins. diam. bears S. 29 E. 47 lbs.; a W. Oak, 15 ins. diam. bears N. 16 W. 65 links distant.
80.20	Section Corner. Friday, March 27, 1807.
North	Between Secs. 19 & 20.
26.00	A W. Oak, 20 ins. diam.
30.00	A B. Oak, 16 ins. diam.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 10 ins. diam. bears S. 17 E. 20 links; a W. Oak, 24 ins. diam. bears N. 37 W. 16 lbs. distant.
44.50	Brook, 4 lbs, S. W.
59.00	Brook, 6 lbs, S. W.
63.00	A W. Oak, 18 ins. diam.
80.00	Set Section Post for 17, 18, 19, 20, from which a Hickory, 18 ins. diam. bears S. 70 W. 13 links; a B. Oak, 30 ins. diam. bears N. 70 E. 84 links distant. Silty land; Timber, W. Oak, B. Oak, Hickory, &c.
West	Between Secs. 18 & 19.
16.00	A W. Oak, 20 ins. diam.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 10 ins. diam. bears S. 20 W. 18 links; a B. Oak, 20 ins. diam. bears S. 18 E. 13 links distant.
45.00	Brook, 6 links, S. E.

## Township No. 20, Range No. 15.

Mts. M.

63.00 Brook, 4 Mts, S. W.

65.00 Brook, 10 Mts, S. E.

79.20 Intersected Range Line, 100 Mts. S. of Corner  
for 18419, from which a W. Oak, 12 ins. diam.,  
bear S. 54 E. 50 links; a W. Oak, 12 ins. diam.,  
bear S. 54 E. 50 links; a W. Oak, 15 ins. diam.,  
bear N. 35 E. 100 links distant. Hilly land;  
Timber, W. Oak, B. Oak, Hickory, Dogwood.

East Raddow between Secs. 17 &amp; 20.

16.20 Brook, 4 links, S. W.

23.00 Brook, 7 links, S. W.

40.00 Set  $\frac{1}{4}$  Post, temporary.

80.00 Fell 12 links N. of Corner for 16, 17, 20, 21.  
Over hilly land; Timber, W. Oak, B. Oak, &c.

East Raddow between Secs. 16 &amp; 21.

4.00 Brook, 4 links, S. E.

16.50 Brook, 4 links, S. E.

40.00  $\frac{1}{4}$  temporary Post.

80.30 Fell 18 links South of Corner for 15, 16, 21, 22.  
Over hilly poor land; some few W. Oaks  
and B. Oaks.

East Raddow between Secs. 15 &amp; 22.

16.00 Brook, 4 links, S. E.

21.50 Struck creek, 80 links, S. E.

40.00 Set  $\frac{1}{4}$  Post temporary.

80.20 Fell 50 Mts. N. of Corner for 14, 15, 22, 23. —  
Over level land; Timber, W. Oak, B. Oak, Hickory, &c.

East Raddow between Secs. 14 &amp; 23.

7.20 Brook, 4 Mts, S. W.

18.00 Brook, 6 Mts, S. W.

## Township No. 20, Range No. 15.

- 27.00 Brook, 3 lbs, S.
- 40.00 Set  $\frac{1}{4}$  Post temporary.
- 53.00 Brook, 6 lbs, S. W.
- 80.00 Fell 24 lbs. N. of corner for 13, 14, 23, 24.  
Over level land; Timber, W. Oak, B. Oak,  
Hickory, &c.
- North Between Secs. 13 & 14.
- 19.50 A W. Oak, 20 ins. diam.
- 40.00 In Post, from which a W. Oak, 16 ins. diam. bears  
N. 15 E. 21 links; a Dogwood, 6 ins. diam. bears  
S. 16 W. 11 links distant.
- 58.00 Brook, 6 links, S. W.
- 80.00 Set Section Post for 11, 12, 13, 14, from which  
a W. Oak, 6 ins. diam. bears N. 45 E. 50  
links; a Dogwood, 4 ins. diam. bears N.  
75 W. 44 links distant. Level land; Tim-  
ber, W. Oak, B. Oak, &c.
- East Random between Secs. 12 & 13.
- 40.00 Set  $\frac{1}{4}$  Post temporary.
- 80.00 Intersected Range Line, 150 lbs. N. of Cor-  
ner. Over level land; Timber, W. Oak, B. Oak,  
Dogwood, &c.
- West On True Line between Secs. 12 & 13.
- 40.00 Set  $\frac{1}{4}$  Post at average bearing, from which  
a W. Oak, 12 ins. diam. bears S. 16 W. 15  
links; a W. Oak, 15 ins. diam. bears N. 15  
E. 26 lbs. distant.
- 47.00 A W. Oak, 20 ins. diam.
- 80.00 Section corner.

## Township No. 20, Range No. 15.

610. 30.

West On True Line between Secs. 14 &amp; 23.

16.00 A W. Oak, 10 ins. diam.

40.00 Set  $\frac{1}{4}$  Post at average measure, from which  
a W. Oak, 10 ins. diam. bears S. 17 E. 20 links;  
a W. Oak, 26 ins. diam. bears N. 21 W. 17 lbs.  
distant.

53.20 A W. Oak, 24 ins. diam.

80.00 Section corner.

North Between Secs. 14 &amp; 15.

17.00 A W. Oak, 10 ins. diam.

40.00 Set  $\frac{1}{4}$  Sec. Post, from which a W. Oak, 16 ins.  
diam. bears S. 17 W. 18 links; a W. Oak, 12  
ins. diam. bears N. 27 E. 7 links distant.

75.00 A W. Oak, 16 ins. diam.

80.00 Set Section Post for 10, 11, 14, 15, from which  
a W. Oak, 10 ins. diam. bears N. 45 E. 50  
links; a Dogwood, 4 ins. diam. bears N.  
75 W. 44 links distant. Poor wood land;  
Timber, W. Oak, P. Oak, Hickory, &c.Saturday, March 28<sup>th</sup>, 1807.

West On True Line between Secs. 15 &amp; 22.

16.20 A W. Oak, 12 ins. diam.

40.10 Set  $\frac{1}{4}$  Post at average measure, from which  
a W. Oak, 10 ins. diam. bears S. 17 W. 6 lbs;  
a W. Oak, 14 ins. diam. bears N. 3 E. 8 lbs.  
distant.

80.20 Section corner.

North Between Secs. 15 &amp; 16.

7.00 A W. Oak, 18 ins. diam.

15.00 Brook, 4 links East.

40.00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 12 ins.

167

Township No. 20, Range No. 15.

to, sh.	
	diam. bears S. 70 W. 18 links; a W. Oak, 10 ins. diam. bears N. 18 E. 7 lbs. distant.
47.25	A W. Oak, 12 ins. diam.
53.00	A B. Oak, 24 ins. diam.
80.00	Set Section Post for 9, 10, 15, 16, from which a W. Oak, 24 ins. diam. bears S. 22 W. 28 lbs., a W. Oak, 36 ins. diam. bears S. 14 E. 70 lbs. distant. Level land; Timber, W. Oak generally.
West	On True Line between Secs. 16 & 21.
23.00	A W. Oak, 18 ins. diam.
40.15	Set 1/4 Post at average measure, from which a W. Oak, 12 ins. diam. bears S. 17 W. 27 lbs., a W. Oak, 18 ins. diam. bears N. 57 E. 39 links distant.
48.00	A W. Oak, 16 ins. diam.
80.30	Section Corner.
North	Between Secs. 16 & 17.
14.00	A W. Oak, 12 ins. diam.
16.00	A B. Oak, 16 ins. diam.
40.00	Set 1/4 Post, from which a W. Oak, 6 ins. diam. bears S. 16 E. 20 links; a W. Oak, 10 ins. diam. bears N. 27 W. 28 links distant.
47.00	Brook, 6 lbs., S. E.
51.00	A W. Oak, 10 ins. diam.
59.00	A B. Oak, 36 ins. diam.
86.00	Set Section Post, for 9, 14, 17; no bearing trees to be found. Hilly land; Timber, W. Oak, B. Oak, Dogwood, &c.
West	On True Line between Secs. 17 & 20.
16.00	A W. Oak, 18 ins. diam.



## Township No. 20, Range No. 15.

Chs. Sta

- 23.00 A W Oak, 24 ins. diam.
- 40.00 Set  $\frac{1}{4}$  Post at average measure, from which  
a W Oak, 16 ins. diam. bears S. 33 $^{\circ}$  49 lbs;  
a W Oak, 21 ins. diam. bears N. 37 $^{\circ}$  18  
links distant.
- 47.00 A W Oak, 30 ins. diam.
- 80.00 Section Corner.
- North Between Secs. 17 & 18.
- 11.50 Brook, 6 links, S. W.
- 18.00 A W Oak, 20 ins. diam.
- 40.00 Set  $\frac{1}{4}$  Sec. Post, from which a W Oak, 11 ins.  
diam. bears S. 20 $^{\circ}$  27 links; a Pin Oak, 6  
ins. diam. bears N. 18 $^{\circ}$  3 links distant.
- 80.00 Set Section Post, for 7, 8, 17, 18, from which a  
W Oak, 15 ins. diam. bears N. 23 $^{\circ}$  4 lbs; an  
Oak, 6 ins. diam. bears N. 72 $^{\circ}$  24 links  
distant. Uneven land; some few W Oaks,  
Pin Oaks, &c.
- West Between Secs. 7 & 18.
- 16.00 A Maple, 16 ins. diam.
- 30.00 Struck an Alder Swamp, 4 chains wide.
- 37.50 Brook, 6 lbs, S. E.
- 40.00 Set  $\frac{1}{4}$  Post, from which a Maple, 12 ins. diam.  
bears S. 27 $^{\circ}$  8 links; a Hickory, 8 ins. diam.  
bears N. 30 $^{\circ}$  11 links distant.
- 47.00 A W Oak, 16 ins. diam.
- 78.50 Intersected Range Line, 150 links South of Corner  
for 7 & 18, from which a W Oak, 30 ins. diam.  
bears N. 39 $^{\circ}$  36 links; a W Oak, 18 ins.  
diam. bears S. 71 $^{\circ}$  75 links distant. Level  
land; Sycam, W Oak, B. Oak, Maple, Hickory,  
Chestnut, Dogwood, &c.

## Township No. 21, Range No. 15.

Sunday, March 29<sup>th</sup>, 1807.

East	Raidow between Secs. 8 & 17.
40.00	Set $\frac{1}{4}$ Post temporary.
75.00	Brook, 6 links, N. E.
80.00	Struck the corner for 9, 10, 15, 16. Over hilly land; Timber, W. Oak, B. Oak.
East	Raidow between Secs. 9 & 16.
40.00	Set $\frac{1}{4}$ Post temporary.
70.50	Brook, 6 links, N. E.
81.50	Fell 20 Ms. N. of corner for 8, 9, 16, 17. Over level land; Timber, W. Oak, B. Oak, Quaking Asp.
East	Raidow between Secs. 10 & 15.
1.00	Brook, 6 links, S. E.
40.00	Set $\frac{1}{4}$ temporary Post.
46.00	Struck creek, 100 links, S.
80.20	Fell 50 Ms. N. of corner for 10, 11, 14, 15. Over level land; Timber, W. Oak, B. Oak, Dogwood.
East	Raidow between Secs. 11 & 14.
39.50	A Swamp, 300 Ms. wide.
40.00	Set $\frac{1}{4}$ temporary Post.
47.00	Brook, 4 links, S. W.
81.00	Fell 60 Ms. N. of corner for 11, 12, 13, 14. Over level land; Timber, W. Oak, B. Oak, Dogwood, Hickory, &c.
North	Between Secs. 11 & 12.
1.00	Brook, 6 links, S. W.
24.00	A B. Oak, 24 ins. diam.
40.00	Set $\frac{1}{4}$ Post, from which a W. Oak, 10 ins. diam. bears S. 20 E. 18 links; a W. Oak, 15 ins. diam. bears N. 36 W. 27 links distant.

## Township No. 20, Range No. 15.

Chd. Sta.

76.00 A B Oak, 18 ins. diam.

80.00 Set Section Post for 1, 2, 11, 12, from which  
a B. Oak, 16 ins. diam. bears S. 35 E. 34 lbs;  
a W. Oak, 12 ins. diam. bears N. 20 W.  
27 links distant. Level land; Timber,  
W. Oak, B. Oak, Hickory, Dogwood.

East Railroad between Secs. 1 &amp; 12.

40.00 Set  $\frac{1}{4}$  Post temporary.

61.50 Brook, 4 links, S. W.

80.50 Intersected Range Line, 150 links N. of Cor-  
ner. Over level land; Timber, W. Oak, B.  
Oak, Dogwood, &c.

West On True Line between Secs. 1 &amp; 12.

17.50 A W. Oak, 20 ins. diam.

40.25 Set  $\frac{1}{4}$  Post at average measure, from which  
a W. Oak, 12 ins. diam. bears S. 17 E. 20  
links; a W. Oak, 14 ins. diam. bears  
N. 27 W. 29 links distant.

49.00 A W. Oak, 20 ins. diam.

80.50 Section Corner.

West On True Line between Secs. 11 &amp; 14.

7.50 A W. Oak, 24 ins. diam.

11.50 A B. Oak, 36 ins. diam.

40.50 Set  $\frac{1}{4}$  Post, from which a W. Oak, 24 ins. diam.  
bears S. 18 E. 20 links; a W. Oak, 36 ins.  
diam. bears N. 4 E. W. 65 lbs. distant.

81.00 Section Corner.

North Between Secs. 10 &amp; 11.

11.00 Brook, 6 links, N. W.

23.00 A W. Oak, 24 ins. diam.

## Township No. 20, Range No. 15.

- 40:00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 6 ins. diam. bears S. 20 W. 18 links; a W. Oak, 12 ins. diam. bears N. 16 E. 20 lbs. distant.
- 62:00 Brook, 6 links, S. W.
- 80:00 Set Section Post for 2, 3, 10, 11, from which a W. Oak, 24 ins. diam. bears S. 37 W. 38 links; a B. Oak, 12 ins. diam. bears S. 40 E. 44 links distant. Poor land; Timber, W. Oak generally.
- West On True Line between Secs. 10 & 15.
- 9:50 A W. Oak, 16 ins. diam.
- 40:10 Set  $\frac{1}{4}$  Post at average measure, from which a W. Oak, 11 ins. diam. bears S. 20 W. 14 links; a Dogwood, 6 ins. diam. bears N. 27 E. 18 links distant.
- 53:50 A W. Oak, 24 ins. diam.
- 80:20 Section corner.

Monday, March 30<sup>th</sup>, 1807.

- North Between Secs. 9 & 10.
- 50 Brook, 6 lbs., S. E.
- 34:00 Brook, 6 lbs., S. E.
- 37:00 A W. Oak, 20 ins. diam.
- 40:00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 12 ins. diam. bears S. 21 E. 14 links; a W. Oak, 14 ins. diam. bears N. 17 W. 24 lbs. distant.
- 47:00 Brook, 6 lbs., S. E.
- 53:00 A W. Oak, 12 ins. diam.
- 80:00 Set Section Post for 2, 4, & 10, from which an Elm, 16 ins. diam. bears S. 16 W. 10 lbs; an Ironwood, 6 ins. diam. bears S. 20 E. 14 links distant. Scrub land; Timber, W. Oak, B. Oak, Maple, Elm, Dogwood, &c.

6th 1/4

West On True Line between Secs. 9 &amp; 16.

40.00 Set 1/4 Post at average measure; no bearing trees to be found.

47.50 A W. Oak, 24 ins. diam.

80.00 Section Corner.

North Between Secs. 8 &amp; 9.

11.00 Brook, 6 lbs, N. E.

16.00 A W. Oak, 18 ins. diam.

40.00 Set 1/4 Post, from which a W. Oak, 10 ins. diam. bears S. 26 W. 15 links; a W. Oak, 12 ins. diam. bears N. 37 E. 16 lbs. distant.

45.00 Brook, 4 links, N. W.; 400 lbs. from head.

50.00 Brook, 6 lbs, N. E.

80.00 Set Section Post for 4, 5, 8, 9, from which a W. Oak, 24 ins. diam. bears S. 25 E. 30 lbs; a Hickory, 8 ins. diam. bears S. 30 W. 75 lbs. distant. Hilly land; Timber, W. Oak, B. Oak, Hickory, &amp;c.

West On True Line between Secs. 8 &amp; 17.

21.00 A W. Oak, 18 ins. diam.

40.00 Set 1/4 Post at average measure, from which a W. Oak, 12 ins. diam. bears S. 16 W. 18 links; no other bearing tree to be found.

53.00 A Chestnut, 24 ins. diam.

80.00 Section Corner.

North Between Secs. 7 &amp; 8.

29.00 Brook, 6 lbs, N. E.

31.00 A W. Oak, 12 ins. diam.

40.00 Set 1/4 Post, from which a W. Oak, 20 ins. diam. bears S. 16 W. 20 links; a W. Oak, 17 ins. diam. bears N. 15 E. 38 links distant.

Township No. 20, Range No. 15.

51.00	Brook, 10 lbs, N. E.
55.00	Brook, 4 lbs, S. E.
72.20	A W. Oak, 24 ins. diam.
80.00	Set Section Post for 5, 6, 7, 8; no bearing trees to be found. Level laid; Timber, W. Oak, N. Oak, Hickory.
West	Between Secs. 6 & 7.
16.00	A W. Oak, 18 ins. diam.
40.00	Set 1/4 Post, from which a W. Oak, 18 ins. diam. bears S. 15 E. 20 links; a W. Oak, 16 ins. diam. bears N. 37 W. 34 lbs. distant.
47.00	A W. Oak, 21 ins. diam.
78.50	Intersected Range Line, 75 lbs. S. of Corner. Set Post, from which a B. Oak, 20 ins. diam. bears S. 20 E. 112 links; a Hickory, 10 ins. diam. bears N. 60 E. 50 links distant. Poor land; Timber, W. Oak, B. Oak, Hickory.
East	Random between Secs. 5 & 8.
14.00	A Brook, 4 lbs, N. E.
40.00	Set 1/4 Post temporary.
63.00	Brook, 6 lbs, N. E.
79.75	Fell 16 links N. of Corner for 4, 5, 8, 9. Over hilly land; Timber, W. Oak, B. Oak, Hickory.
East	Random between Secs. 4 & 9.
14.00	Brook, 4 links, N. E.
40.00	Set 1/4 Post temporary.
80.20	Fell 100 links N. of Corner for 2, 4, 9, 10. Over level Bottom land; Timber, Swamp Oak, Cherry, Walnut, Sugar, Elm, &c.

## Township No. 20, Range No. 15.

East Rainbow between Secs. 3 & 10.  
 15.00 Struck Creek, 125 lks, S. E.  
 27.00 Brook, 4 links, S. W.  
 40.00 Set  $\frac{1}{4}$  Post temporary.  
 53.00 Brook, 6 lks, S. W.  
 81.00 Fell 30 lks. N. of corner for 2, 3, 11, 11.  
 First 15 chains rich bottom; the rest poor  
 hilly W. Oak land.

Thursday, March 31<sup>st</sup>, 1867.

East Rainbow between Secs. 9 & 11.  
 40.00 Set temporary  $\frac{1}{4}$  Post.  
 53.00 Brook, 6 lks, S. W.  
 80.20 Fell 65 lks. N. of corner for 1, 2, 11, 12. Over  
 level land; Timber, W. Oak, B. Oak, Dogwood.

North Between Secs. 1 & 2.  
 7.50 Brook, 6 lks, S. W.  
 18.00 Brook, 6 lks, S. W.  
 40.00 Set  $\frac{1}{4}$  Post.  
 40.10 A W. Oak, 24 ins. diam.  
 80.00 Intersected Town Line, 140 links W. of corner.  
 Set Post, from which a W. Oak, 10 ins. diam.  
 bears S. 18 E. 27 links; a B. Oak, 14 ins. diam.  
 bears N. 21 W. 47 links distant. Level land;  
 Timber, W. Oak, B. Oak, &c.

West On True Line between Secs. 2 & 11.  
 40.10 Set  $\frac{1}{4}$  Post at average measure, from which a  
 W. Oak, 12 ins. diam. bears S. 18 E. 20 links;  
 a W. Oak, 20 ins. diam. bears N. 17 W. 26  
 links distant.  
 47.00 A W. Oak, 10 ins. diam.  
 80.20 Section Corner.

## Township No. 20, Range No. 15.

Chains	Remarks
	North Between Secs. 2 & 3.
7-20	A W. Oak, 12 ins. diam.
21-00	A W. Oak, 10 ins. diam.
40-00	Set $\frac{1}{4}$ Post, from which a W. Oak, 11 ins. diam. bears S. 20 W. 18 links; a W. Oak, 24 ins. diam. bears N. 16 E. 23 lbs. distant.
51-00	A Chestnut, 24 ins. diam.
80-50	Intersected Town Line 300 links West of Corner on S. Line. Set Post, from which a W. Oak, 12 ins. diam. bears S. 36 E. 21 links; a B. Oak, 12 ins. diam. bears S. 70 W. 58 lbs. distant. Several said; Timber, W. Oak, B. Oak, Chestnut, &c.
	West On True Line between Secs. 3 & 10.
21-00	A W. Oak, 20 ins. diam.
40-50	Set $\frac{1}{4}$ Post at average measure, from which a W. Oak, 20 ins. diam. bears S. 37 E. 21 links; a W. Oak, 12 ins. diam. bears N. 57 W. 19 links distant.
81-00	Section Corner.
	North Between Secs. 3 & 4.
14-00	Brook, 20 links, East.
20-00	Brook, 4 links, S. E.
28-00	An Elm, 20 ins. diam.
39-00	Brook, 4 lbs, S. E.
40-00	Set $\frac{1}{4}$ Post, from which a Hickory, 10 ins. diam. bears S. 20 W. 17 links; an Elm, 14 ins. diam. bears N. 26 E. 17 lbs. distant.
50-50	A Brook, 4 lbs, S. E.
64-00	A W. Oak, 12 ins. diam.
80-75	Intersected Town Line 100 links East of Corner. Set Post, from which a B. Oak, 16 ins. diam. bears S. 20 E. 70 links; a Hick-



## Township No. 20, Range No. 15.

Chs. etc.

ony, 10 ins. diam. bears S. 60 W. 36 links  
 distant. First half mile all Bottom;  
 last half poor W. Oak land.

Wednesday, April 1<sup>st</sup>, 1807.

West Between Secs. 449, on True Line.

17.00 A W. Oak, 16 ins. diam.

37.00 A W. Oak, 20 ins. diam.

40.10 Set  $\frac{1}{4}$  Post at average measure, from which  
 a W. Oak, 20 ins. diam. bears S. 17 W. 14  
 links; a W. Oak, 20 ins. diam. bears N.  
 17 E. 16 links distant.

64.20 A B. Oak, 24 ins. diam.

80.20 Section Corner.

North Between Secs. 445.

7.00 A W. Oak, 18 ins. diam.

13.50 Brook, 6 Mts, N. E.

39.00 Brook, 6 Mts, N. E.

40.00 Set  $\frac{1}{4}$  Post, from which a W. Oak, 6 ins. diam.  
 bears S. 17 E. 20 links; a W. Oak, 10 ins. diam.  
 bears N. 11 W. 18 links distant.

50.00 Brook, 16 Mts, S. E.

63.00 W. Oak, 20 ins. diam.

80.00 Intersected Town Line 20 links East of Cor-  
 ner. Set Post, from which a Sugar, 4 ins.  
 diam. bears S. 27 E. 43 links; an Ironwood,  
 4 ins. diam. bears S. 32 W. 20 Mts. distant.  
 Hilly land; Timber, W. Oak, B. Oak, Hick-  
 ory, Ironwood, &c.

West On True Line between Secs. 545.

11.50 A B. Oak, 18 ins. diam.

37.57.5 Set  $\frac{1}{4}$  Post at average measure, from which

## Township No. 20, Range No. 15.

Chs. Lks.

a W. Oak, 10 ins. diam. bears S. 16 W. 27  
links; a W. Oak, 15 ins. diam. bears N.  
27 E. 49 links distant.

79.75 Section corner.

North Between Secs. 5 &amp; 6.

11.50 A B. Oak, 20 ins. diam.

20.50 A Swamp, 10 chains wide.

40.00 Set  $\frac{1}{4}$  Post, from which a Quaking Asp, 4  
ins. diam. bears N. 17 E. 20 links; a  
Quaking Asp, 4 ins. diam. bears S. 27  
W. 6 links distant.

53.00 A B. Suck, 6 ins. diam.

71.00 A Chestnut, 20 ins. diam.

83.00 Intersected Town Line, 60 Chs. East of Cor-  
ner. Set Post, from which a Dogwood, 6  
ins. diam. bears S. 17 E. 7 links; a W. Oak,  
10 ins. diam. bears N. 26 W. 10 links  
distant. Hilly land; Timber, W. Oak, B.  
Oak, Quaking Asp; Underbrush, Hazle.

Surveyed by

Jonathan Cox,

Deputy Surveyor.