



**THOMAS E. FERGUSON**  
**AUDITOR OF STATE**  
 COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN  
 Administration

RICHARD G. NUSS  
 CPA  
 Auditing Division

RUSSELL ROUCH  
 Management Advising  
 Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:


1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke  
 Supervisor  
 State Land Office



Township 8, Range 8, U.S. Military District, Ohio. 97

Ch. 26

October 8th, 1803.

Began Township 8, Range 8, at the South East corner thereof, Set Dogwood post corner of Section 21, from which a Poplar 10 ins. diamt. bears N 85 W, 36 links distant, and a W. Ash 9 ins. diamt. bears N 70 E, 9 links distant. Thence ran

North, on East Boundary of Section 21.

3. 60 A run 12 links wide course S 45 E.

38. 00 A small run - Course S 45 E.

80. 00 Set Hickory post corner of Sections 20 and 21, from which a W. Oak 15 ins. diamt. bears S 83 E, 61 links distant, and a W. Maple 8 ins. diamt. bears S 70 W, 3 links distant.

Low ground all this mile, thinly timbered with W. Oak, Maple, Hickory and Ash.

West, from South East corner, on South Boundary of Section 21.

4. 50 A run 7 links wide. Course N 25 E.

40. 00 Set Dogwood post corner of half Sections 41 and 42, from which a W. Oak 15 ins. diamt. bears N 85 W, 50 links distant, and a W. Oak 18 ins. diamt. bears S 70 E, 27 links distant.

Broken land - Oak timber. Thin soil.

80. 00 Set Hickory post corner of Sections 21 and 22, from which a B. Oak 10 ins. diamt. bears S 60 W, 10 links distant, and a W. Oak 15 ins. diamt. bears N 70 E, 10 links distant.

North, between Sections 21 and 22.

5. 50 A B. Oak 15 ins. diamt.

6. 00 A B. Oak 30 ins. diamt.

8. 40 A B. Oak 12 ins. diamt.

13. 20 A W. Oak 10 ins. diamt.

80. 00 Set Chestnut post corner of Sections 19, 20, 21, 22, from which a B. Oak 9 ins. diamt. bears S 80 E, 9 links distant, and a W. Oak 8 ins. diamt. bears S 80 W, 12 links distant.

Moderate hills - Oak timber.

West, on South Boundary of Section 22.

Along a ridge - Oak timber.

Ch. Lk.

40.00 Set W. Oak post corner of half Sections 43 and 44, from which a B. Oak 13 ins. diam., bears S 86 W, 22 links distant, and a B. Oak 15 ins. diam., bears S 30 E, 12 links distant.  
Poor land, and broken.

80.00 To corner of Sections 22 and 23 - Set Chestnut post from which a B. Oak 12 ins. diam., bears N 80 W, 18 links distant, and a B. Oak 13 ins. diam., bears N 60 E, 53 links distant.  
Over Oak timbered land.

North, between Sections 22 and 23.

7.50 A Chestnut 10 ins. diam.

15.00 A B. Oak 15 ins. diam.

17.50 A B. Oak 20 ins. diam.

20.00 A B. Oak 12 ins. diam.

50.00 A B. Oak 9 ins. diam.

80.00 A Poplar sapling 7 ins. diam., bearing to Sections 18, 19, 22, 23, from which a B. Oak 5 ins. diam., bears S 10 E, 70 links distant, and a B. Oak 7 ins. diam., bears N 70 W, 100 lks. distant.  
No timber. Rough land.

West, on South Boundary of Section 23.

2.00 A run links wide. Course S 6 E.

34.50 Over barren hills to a run - Course S 45 E.

40.00 Set B. Oak post corner of half Sections 45 and 46, from which a Chestnut 4 ins. diam., bears N 50 W, 300 links distant.  
No timber. Over barren hills.

80.00 Set Dogwood post corner of Sections 23 and 24, from which a Hickory 7 ins. diam., bears South, 7 links distant, and a Hickory 7 ins. diam., bears N 10 E, 9 links distant.

North, between Sections 23 and 24.

20.00 A B. Oak 9 ins. diam.

27.50 A Chestnut 10 ins. diam.

12.00 A B. Oak 12 ins. diam.

50.10 A B. Oak 8 ins. diam.

80.00 Set Chestnut post corner of Sections 17, 18, 23, 24, from which

6th. St.

a B. Oak 20 ins. diam. bears S 50 W, 47 links distant, and  
a B. Oak 12 ins. diam. bears N 85 E, 50 links distant.

Broken land - Thin soil - rocky and brushy. Oak, Chesnut and Hickory, timber and undergrowth.

West, on South Boundary of Section 24.  
Over rough rocky hills.

40.00 Set B. Oak post corner of half Sections 47 and 48, from which  
a Chesnut 7 ins. diam. bears N 2 E, 80 links distant, and a  
B. Oak 9 ins. diam. bears N 70 W, 100 links distant.

Sand very thinly timbered with Oak, and some Chesnut.

80.00 Set Chesnut post corner of Sections 24 and 25, from which  
a B. Oak 5 ins. diam. bears S 10 W, 70 links distant, and a  
B. Oak 7 ins. diam. bears N 50 E, 150 links distant.

Rough, broken, barren land.

North, between Sections 24 and 25.

2.50 A Chesnut 12 ins. diam.

7.00 A B. Oak 10 ins. diam.

15.00 A B. Oak 20 ins. diam.

30.00 A B. Oak 10 ins. diam.

80.00 Set B. Oak post corner of Sections 16, 17, 24, 25, from which, a  
B. Oak 15 ins. diam. bears N 1 E, 140 links distant, and a  
Yr. Oak 14 ins. diam. bears S 5 W, 450 links distant.

Broken, barren hills - some Oak and Chesnut timber.

October 8, 1803 - AM night

October 9, 1803.

West, on South Boundary of Section 25.  
Over rough, barren hills.

40.00 Set B. Oak post corner of half Sections 49 and 50, from which  
a Chesnut 7 ins. diam. bears N 50 E, 100 links distant, and a  
B. Oak 5 ins. diam. bears S 4 W, 70 links distant.

Some Oak and Chesnut timber and undergrowth.

84.50 To the South West corner of the Township - Renewed the old corner,  
and set W. Oak post corner of Section 25, from which, a

ch. sk.	W. Oak 13 ins. diamt, bears N 25 W, 37 links distant, and a W. Oak 10 ins. diamt, bears S 10 E, 32 links distant.
North, on West Boundary of Section 25.	
5.00	A B. Oak 12 ins. diamt.
7.00	A B. Oak 18 ins. diamt.
40.00	A run 20 links wide. Course N 70 E.
50.00	A B. Oak 20 ins. diamt.
80.00	Set B. Oak post corner of Sections 16 and 25, from which a B. Oak 15 ins. diamt, bears N 1 E, 140 links distant, and a W. Oak 40 ins. diamt, bears S 5 W, 450 links distant. Broken, rocky land. Thin soil. Oak timber.
East,	on random line through the Township
	On First Mile, fell 30 links North of post.
	On Second mile, fell 15 links South of post.
	On Third mile, fell 5 links South of post.
	On Fourth mile, fell 10 links South of post.
	On Fifth mile, intersected the East Boundary of Township, at post corner of Sections 20 and 21.
North,	on East Boundary of Section 20.
	Over good land. Timber, Hickory, Oak, Beech and Maple.
59.12	To Killbuck Creek - Course N 80 E.
61.00	To North bank of the creek.
78.00	To Killbuck Creek again - Course S 80 W.
80.00	To North bank of Killbuck Creek - Set Elm post corner of Sections 11 and 20, from which a W. Ash 9 ins. diamt, bears N 75 E, 23 links distant, and a W. Maple 8 ins. diamt, bears S 70 W, 16 links distant. Good bottom land. Timber, Sugar, Beech, Elm, Ash, and Hickory. October 9, 1803. At night.
	October 10, 1803.
West,	between Sections 20 and 21.
	Over rough, brushy land - Timber, oak and Chestnut,

Ch. St.

Undergrowth, Oak.

40.00 Set Chestnut post corner of half Sections 39, 40, 41, 42, from which a Hickory 15 ins. diam. bears S 80 E, 17 links distant, and a Chestnut 6 ins. diam. bears N 80 W, 33 links distant.  
Over broken land.

80.00 To corner of Sections 19, 20, 21, 22.

Broken land. Oak, Chestnut and Hickory timber. Undergrowth, of same.

North, between Sections 19 and 20.

3.50 A B. Oak 10 ins. diam.

4.70 A B. Oak 12 ins. diam.

7.00 A Chestnut 15 ins. diam.

59.00 A run 25 links wide - course S 70 E.

Over bottom.

80.00 Set Hickory post corner of Sections 11, 12, 19, 20, from which a W. Oak 10 ins. diam. bears S 60 E, 33 links distant, and a Hickory 7 ins. diam. bears N 50 W, 15 links distant.

Broken land - Timber, Oak, Hickory, Chestnut and Beech. Oak undergrowth.

West, between Sections 19 and 22.

On a ridge - dry, thin soil.

40.00 Set W. Oak post corner of half Sections 37, 38, 43, 44, from which a W. Oak 15 ins. diam. bears S 40 E, 24 links distant, and a W. Oak 13 ins. diam. bears N 70 W, 40 links distant.

70.00 A small run - Course N 45 W.

80.00 To corner of Sections 18, 19, 22, 23.

Rough, rocky land - Timber, Oak, Chestnut, Hickory and Beech.

North, between Sections 18 and 19.

6.50 A W. Oak 12 ins. diam.

7.00 A W. Oak 15 ins. diam.

9.40 A B. Oak 18 ins. diam.

30.00 over level W. Oak land. Thin timber.

Chs. Lks.	
60.70	A run 25 links wide - course N 10 E. Swamp all the way to corner.
80.00	Set W. Oak post corner of Sections 12, 13, 18, 19, from which a W. Oak 7 ins. diamt. bears N. 10 E. 21 links distant, and a B. Oak 13 ins. diamt. bears S 40 W, 6 links distant. Level land. Timber, W. Oak, Elm, Hickory, Maple and Ash.
West,	Between Sections 18 and 23. Over brushy hills.
35.00	A small run - course N 10 E.
40.00	Set Dogwood post corner of half Sections 35, 36, 45, 46, from which a W. Oak 13 ins. diamt. bears North, 15 links distant, and a Hickory 10 ins. diamt. bears S 45 E. 12 links distant.
80.00	To corner of Sections 17, 18, 23, 24. Over broken, poor land. Timber, Oak, Chestnut and Beech.
North,	Between Sections 17 and 18.
5.70	A B. Oak 12 ins. diamt.
6.50	A B. Oak 15 ins. diamt.
8.00	A B. Oak 15 ins. diamt.
12.50	A Chestnut 10 ins. diamt.
53.00	A run 25 links wide - Course S 70 E. Over bottom.
80.00	Set W. Oak post corner of Sections 13, 14, 17, 18, from which a W. Oak 13 ins. diamt. bears S 45 E, 33 links distant, and a W. Oak 8 ins. diamt. bears S 30 W, 26 links distant. Rough, poor land - Timber, Oak, Chestnut, Poplar and Hickory. Land stony.
West,	Between Sections 17 and 24. Over barren hills - rocky.
40.00	A B. Oak 7 ins. diamt. Corner to half Sections 33, 34, 47, 48, No bearing trees - No timber near. On barren hills all the way to corner.
80.00	To corner of Sections 16, 17, 24, 25.

Ch. Lk.

Some scattering oak and chestnut timber. Poor land.

North, between Sections 16 and 17.

20.00 A run 20 links wide - course N 60 E.

25.50 A Chestnut 9 ins. diam.

32.00 A B. Oak 10 ins. diam.

50.75 A B. Oak 8 ins. diam.

80.00 Set Hickory post corner of Sections 14, 15, 16, 17, from which a Chestnut 13 ins. diam. bears N 50 W, 32 links distant, and a W. Oak 22 ins. diam. bears S 4 E, 48 links distant.

Barren land - Some scattering oak and chestnut trees and saplings. October 10<sup>th</sup> 1803 - At night

October 11, 1803.

West, between Sections 16 and 25.

Down a steep hill.

15.00 A run 20 links wide - course N 70 E.

Along the South side of a ridge.

40.00 Set W. Oak post corner of half sections 31, 32, 49, 50, from which a W. Oak 15 ins. diam. bears S 45 E, 50 links distant, and a W. Oak 6 ins. diam. bears N 50 W, 75 links distant.

over rough points of ridges.

84.40 To corner of Sections 16 and 25.

Poor, broken land. Some oak and chestnut timber in places.

North, on West side of Section 16, on Township line.

over barren hills.

80.00 Set Chestnut post corner of Sections 15 and 16, on the South bank of a small run flowing S 80 E, from which a B. Oak 8 ins. diam. bears S 10 E, 30 links distant, and a W. Oak 10 ins. diam. bears N 5 W, 70 links distant.

Broken land - poor soil - some oak and chestnut timber in places, and rocky.

East, on random line through the Township.



Ch. 20.

On first mile, fell 20 links south of post  
 on second mile, fell 15 links north of post.  
 on third mile, fell 20 links south of post.  
 on fourth mile, fell 25 links north of post.  
 on fifth mile, fell 5 links south of post corner of Sections  
 11 and 20 on East Boundary.

North, on East side of Section 11.

- 17.00 To Kill buck creek - course S45E.  
 20.00 To north bank of creek.  
 46.00 To same creek - Course S45W.  
 48.50 To north bank of creek.  
 50.50 To same creek, south bank - Course S40E.  
 53.00 To north bank of creek.  
 55.50 To same creek - Course S30W.  
 58.00 To north bank of creek.  
 60.00 To same creek - Course south.  
 79.00 Up the creek, in it.  
 80.00 Set W. Walnut post on the west bank of creek from which  
 an Elm 15 ins. diam., bears N30W, 40 links distant, and  
 a Sycamore 24 ins. diam., bears south, 50 links distant.  
 Bottom land all this mile - Timber, Sugar, Sycamore, Beech,  
 Buckeye, Maple, Ash, Hickory and W. Oak.

West, between Sections 11 and 20.

Down the bank of Kill buck creek.

- 7.00 On run bottom.  
 37.00 A run 30 links wide - Course S80E.  
 Up run bottom.  
 40.00 Set Lynn post corner of half Sections 21, 22, 39, 40, from  
 which a Lynn 12 ins. diam., bears S23W, 50 links distant,  
 and a Gum 13 ins. diam., bears S85E, 30 links distant.  
 Up the run all the way to corner - Timber, Sugar  
 Sycamore, Maple, Lynn and Buckeye.  
 80.00 To corner of Sections 11, 12, 19, 20.

Ch. No.

North, between Sections 11 and 12.

4. 20 A W. Oak 15 ins. diam.

7. 50 A Hickory 15 ins. diam.

9. 00 A Cherry 20 ins. diam.

80. 00 Set Sassafras post corner of Sections 9, 10, 11, 12, from which a W. Oak 36 ins. diam. bears S 85 E, 35 links distant, and a Hickory 5 ins. diam. bears N 70 W, 21 links distant.

Level, good land. Timber, W. Oak, Hickory, Sugar, Cherry and Crab Apple.

West, between Sections 12 and 19.

Up run bottom - Thily timbered with Swamp Oak, Cherry, Blue Ash and W. Oak.

40. 00 Set W. Oak post corner of half Sections 23, 24, 37, 38, from which a W. Oak 6 ins. diam. bears S 80 E, 20 links distant, and a W. Oak 18 ins. diam. bears N 80 W, 25 links distant.

Over level W. Oak land.

80. 00 To corner of Sections 12, 13, 18, 19.

North, between Sections 12 and 13.

4. 30 A W. Oak 8 ins. diam.

7. 00 A W. Oak 12 ins. diam.

9. 50 A W. Oak 9 ins. diam.

Barren land all the rest of the mile.

80. 00 Set W. Oak post corner of Sections 8, 9, 12, 13, from which a B. Oak 9 ins. diam. bears S 50 W, 63 links distant, and a B. Oak 8 ins. diam. bears N 40 E, 25 links distant.

Poor land, and level. Oak timber. Oct. 11, 1803. At night.

October 12, 1803.

West, between Sections 13 and 18.

20. 00 Over flat W. Oak land - No timber - Hard undergrowth.

40. 00 Set Popple post corner of half Sections 25, 26, 35, 36, from which a W. Oak 18 ins. diam. bears N 5 E, 111 links distant, and a Swamp Oak 15 ins. diam. bears S 50 W, 90 links distant.

Over flat land. Thin soil.

chk. sk.	
80.00	To corner of Sections 13, 14, 17, 18. No timber of account.
	North, between Sections 13 and 14.
5.20	A W. Oak 10 ins. diam.
7.00	A W. Oak 9 ins. diam.
9.70	A B. Oak 12 ins. diam.
50.00	A B. Oak 10 ins. diam.
79.00	A Crab Apple 7 ins. diam.
80.00	Set Gum post corner of Sections 7, 8, 13, 14, from which a W. Ash 10 ins. diam. bears N 87 W, 20 links distant, and a Gum 13 ins. diam. bears S 60 E, 12 ins. diam. Poor land and stony - some Oak timber, but thin.
	West, between Sections 14 and 17.
	Over a high hill - Oak timber.
40.00	Set Hickory post corner of half Sections 27, 28, 33, 34, from which a B. Oak 8 ins. diam. bears S 80 W, 24 links distant, and a B. Oak 12 ins. diam. bears N 80 E, 23 links distant.
43.00	A run 5 links wide - course S 10 E. Over a high hill to corner.
80.00	To corner of Sections 14, 15, 16, 17. Broken land. Timber, Oak and Chestnut.
	North, between Sections 14 and 15.
1.20	A B. Oak 10 ins. diam.
3.40	A B. Oak 12 ins. diam.
6.00	A W. Oak 13 ins. diam.
35.00	A run 5 links wide - Course S 10 E. Then up a Chestnut ridge, and along it.
80.00	Set Dogwood post corner of Sections 6, 7, 14, 15, from which a W. Oak 6 ins. diam. bears N 56 W, 30 links distant, and a Hickory 7 ins. diam. bears S 45 E, 5 links distant. Broken land - Poor. Thinly timbered with Oak, Chestnut, and Hickory.

Ch. Lbs

- West, between Sections 15 and 16.  
Over barren hills.
- 40.00 Set Gum post corner of half sections 29, 30, 31, 32, from which  
a Gum 7 ins. diam., bears S 25 W, 19 links distant, and a  
Gum 9 ins. diam., bears N 20 E, 70 links distant.  
Over barren hills.
- 84.60 To corner of Sections 15 and 16.  
Rocky land. Some scattering tr. Oak and Gum.

- North, on West side of Section 15.
- .50 A small run - house S 80 E.
- 3.00 A W. Oak 10 ins. diam.  
Over barren, rough hills.
- 68.00 A small run - house S 80 E.  
Broken land.
- 80.00 Set B. Oak post corner of Sections 6 and 15, from which a  
B. Oak 7 ins. diam., bears S 80 E, 150 links distant, and a  
B. Oak 9 ins. diam., bears N 10 W, 70 links distant.  
Poor land. Some Oak and Chestnut timber, and Popple.

- East, on random line through the Township.
- On first mile, fell 10 links South of post.
- On second mile, fell 20 links North of post.
- On third mile, fell 15 links South of post.
- On fourth mile, fell 10 links North of post.
- On fifth mile, fell 7 links South of post, corner of Sections  
10 and 11, on East Boundary. October 12, 1803. At night

October 13, 1803.

- North, on East Boundary of Section 10.
- 6.00 To Killbuck creek. Course S 25 E.  
Along the bank of the creek.
- 11.00 To Killbuck creek. Course S 20 W.
- 20.00 To same creek. Course North.  
Up the creek, in it.
- 23.00 To North bank of creek. Course S 10 W.

Chs	Lks	
47.00	A run 20 links wide - course N 80 E.	on bottom.
64.00	To foot of hill.	
80.00	Set Dogwood post corner of Sections 1 and 10, from which a Hickory 10 ins. diam., bears N 40 W, 33 links distant, and a Hickory 15 ins. diam., bears S 30 E, 22 links distant.	Good land. Lumber, Sugar, Beech, Hickory, Elm, Lynn and Ash.
West,	between Sections 10 and 11.	
15.50	Over bottom, to a hill.	
25.00	Up a steep hill - over rough land.	
40.00	Set W. Oak post corner of half sections 19, 20, 21, 22, from which a W. Oak 9 ins. diam., bears S 10 W, 20 links distant, and a W. Oak 13 ins. diam., bears N 5 E, 15 links distant.	over broken land.
80.00	To corner of Sections 9, 10, 11, 12.	Lumber, Oak, Hickory, and Chestnut.
North,	between Sections 9 and 10.	
4.50	A run 30 links wide - course S 80 E.	over good level land.
10.20	A Maple 12 ins. diam.	
21.00	A Cherry 15 ins. diam.	
30.00	A Sugar 20 ins. diam.	
41.00	A Beech 10 ins. diam.	
80.00	Set Hickory post corner of Sections 1, 2, 9, 10, from which a Swamp Oak 10 ins. diam., bears N 45 E, 20 links distant, and a Maple 13 ins. diam., bears S 45 W, 55 links distant.	Good Land - Lumber: W. Oak, Cherry, Hickory, Maple, Sugar, Beech and Hickory.
West,	between Sections 9 and 12.	
	over W. Oak land - broken, rough and hilly.	
40.00	Set W. Oak post corner of half sections 17, 18, 23, 24, from which a W. Oak 15 ins. diam., bears N 3 E, 45 links distant,	

chk. chk.

and a W. Oak 15 ins. diam., bears S 70 W, 47 links distant.

Broken land. Lumber, oak and cherry.

80.00 To corner of Sections 8, 9, 12, 13.

Rocky, poor land. Lumber, oak.

North, between Sections 8 and 9.

3.10 A W. Oak 10 ins. diam.

5.00 A B. Oak 15 ins. diam.

7.40 A W. Oak 10 ins. diam.

25.00 A B. Oak 18 ins. diam.

Full land.

50.00 To run bottom.

63.00 A run 30 links wide - Course S 80 E.

66.00 To run - Course S 70 W.

69.00 To run - Course S 70 E.

80.00 Set Sugar post corner of Sections 2, 3, 8, 9, from which a Hickory 9 ins. diam. bears N 30 W, 12 links distant, and an Elm 12 ins. diam. bears S 15 E, 37 links distant.

Lumber, Beech, Sugar, Oak and Ash.

West, between Sections 8 and 13.

over barren hills

40.00 Set W. Oak post corner of half Sections 15, 16, 25, 26, from which a B. Oak 6 ins. diam. bears S 65 E, 14 links distant.

W. Oak 5 ins. dia. bears S 65 W 20 links, dist. - Barren hills.

79.00 A small run - Course S 70 E.

80.00 To post corner of Sections 7, 8, 13, 14.

Scattering oak timber.

North, between Sections 7 and 8.

3.50 A B. Oak 12 ins. diam.

5.10 A B. Oak 8 ins. diam.

10.00 A W. Oak 9 ins. diam.

30.00 A B. Oak 7 ins. diam.

80.00 Set Hickory post on the bank of a run 30 links wide flowing N 70 E, corner of Sections 3, 4, 7, 8, from which a Hickory

Chs. 1st	<p>15 ins. diamt, bears S 30 W, 40 links distant, and a Maple, 8 ins. diamt, bears N 27 E, 21 links distant.</p> <p>Poor land - level on ridge - thickly timbered with Oak.</p>
West,	<p>between Sections 7 and 14.</p> <p>over level fr. Oak land.</p> <p>40.00 Set Dogwood post corner of half Sections 13, 14, 27, 28, from which a Hickory 15 ins. diamt, bears S 30 E, 10 links distant, and a B. Oak 13 ins. diamt, bears N 3 W, 61 links distant.</p> <p>Level land - thin soil.</p> <p>80.00 To corner of Sections 6, 7, 14, 15.</p> <p>Lumber principally Oak - some Hickory - thin soil.</p> <p>October 13, 1803 - At night.</p>
North,	<p>October 14, 1803.</p> <p>between Sections 6 and 7.</p> <p>5.10 A B. Oak 10 ins. diamt.</p> <p>7.05 A B. Oak 15 ins. diamt.</p> <p>10.20 A B. Oak 9 ins. diamt.</p> <p>over high hill.</p> <p>49.50 A run 30 links wide - Course S 70 E.</p> <p>51.00 on bottom, through fallen timber.</p> <p>up hill.</p> <p>80.00 Set Chestnut post corner of Sections 4, 5, 6, 7, from which a fr. Oak 12 ins. diamt, bears S 7 E, 30 links distant, and a fr. Oak 12 ins. diamt, bears N 3 W, 32 links distant.</p> <p>Broken land. Lumber, Oak, Hickory, Beech, Sugar &amp; Elm.</p>
West,	<p>between Sections 6 and 15.</p> <p>Over broken land.</p> <p>40.00 Set Gum post corner of half Sections 11, 12, 29, 30, from which a W. Oak 26 ins. diamt, bears N 45 E, 24 links distant, and a Hickory 13 ins. diamt, bears S 30 W, 24 links distant.</p> <p>Rough hills.</p> <p>70.00 A small run - Course N 50 E.</p> <p>84.70 To Township line, corner of Sections 6 and 15.</p>

Ch. No.	Land rocky. Timber, Oak, Hickory, Chestnut & Popple.
North,	on West Boundary of Section 6.
50.00	On rough ridge - Oak timber.
60.00	Descending North - Good land - Popple timber. Then rough again, and poor land.
80.00	Set Dogwood post corner of Sections 5 and 6, from which a Chestnut 18 ins. diam, bears N 40 W, 50 links distant, and a Chestnut <sup>Oak</sup> 16 ins. diam, bears S 20 E, 70 links distant. Timber: Oak, Hickory, Popple and Chestnut.
East,	on random line through the Township. on first mile, fell 50 links South of post. on second mile, fell 30 links North of post. on third mile, fell 10 links South of post. on fourth mile, fell 15 links North of post. on fifth mile, fell 4 links South of post, corner of sections 1 and 10, on East Boundary.
North,	on East side of Section 1.
4.00	A Hickory 15 ins. diam.
26.00	A Hickory 13 ins. diam.
69.00	A B. Oak 20 ins. diam.
72.00	A B. Oak 18 ins. diam.
84.50	To North East corner of Township 8, Range 8, Set Dogwood post corner of Section 1, from which a Poplar 18 ins. diam, bears N 30 E, 28 links distant, and a Poplar 36 ins. diam, bears S 15 W, 14 links distant. Timber, Oak, Hickory and Poplar - Rough and Rocky.
West,	between Sections 1 and 10.
15.00	Down a hill to Bottom land.
20.00	A run 20 links wide - course S 45 E. on bottom.
40.00	Set Dogwood post corner of 1, 2, 19, 20, from which a W. Oak 18 ins. diam, bears N 3 W, 30 links distant, and a



Ch. Sk.	<p>W. Oak 20 ins. diam. bears S 40 E, 14 links distant.          Good land.</p> <p>80.00 To post corner of Sections 1, 2, 9, 10.          Timber, Sugar, Hickory, Oak, Sassafras and Cherry-land level.          October 14, 1803. At night</p>
	<p style="text-align: right;">October 15th, 1803.</p> <p>North, between Sections 1 and 2.</p> <p>5.00 A W. Oak 10 ins. diam.</p> <p>7.50 A B. Oak 12 ins. diam.          Over level Oak land.</p> <p>25.10 A Beech 10 ins. diam.</p> <p>37.00 A B. Oak 15 ins. diam.          Over high hill.</p> <p>62.00 A run 30 links wide. Course S 80 E.          On Beech bottom.</p> <p>70.00 Up a hill.</p> <p>84.60 To Township line. Set Dogwood post corner of Sections 1 and 2, from which a Sugar 18 ins. diam. bears S 40 E, 39 links distant, and a Beech 20 ins. diam. bears S 70 W, 37 links distant.          Good land timber, Oak, Beech, Hickory and Sugar.</p>
	<p>West, between Sections 2 and 9.</p> <p>Over level land.</p> <p>40.00 Set Hickory post corner of half Sections 3, 4, 17, 18, from which a Maple 8 ins. diam. bears S 45 W, 16 links distant, and a Sugar 18 ins. diam. bears N 40 E, 21 links distant.          Rough land.</p> <p>53.50 To a very large spring of excellent water - level land all the way to corner.</p> <p>80.00 To corner of Sections 2, 3, 8, 9.          Timber, Oak, Sugar, Maple, Beech and Hickory - Good land.</p>
	<p>North, between Sections 2 and 3.</p>

Ch. Stk.	
3.40	A B. Oak 12 ins. diam.
4.70	A B. Oak 10 ins. diam. On rough ridge.
40.00	A B. Oak 15 ins. diam.
45.50	A B. Oak 12 ins. diam.
60.00	A small run - Course S 80 E.
84.60	To Township line - Set Gum post corner of Sections 2 and 3, from which a Maple 12 ins. diam. bears N 75 E, 15 links distant, and a Maple 11 ins. diam. bears N 80 W, 12 links distant. Lumber, Oak, Hickory, and Maple. Broken land.
West,	between Sections 3 and 8. On run bottom.
23.00	A run 25 links wide - Course S 75 E.
25.00	do run - Course N 80 E.
40.00	Set Ash post corner of half Sections 5, 6, 15, 16, from which a W. Ash 9 ins. diam. bears S 60 E, 20 links distant, and a Sugar 18 ins. diam. bears West. 5 links distant.
45.00	A run 25 links wide - Course S 70 E.
55.00	A run - Course N 70 E.
80.00	To corner of Sections 3, 4, 7, 8. Bottom land. Lumber, Sugar, Beech, Hickory, Ash and Oak.
North,	between Sections 3 and 4.
1.50	A B. Oak 10 ins. diam.
3.20	A B. Oak 12 ins. diam.
4.00	A run 20 links wide - Course S 80 E.
15.00	On bottom.
17.50	A Beech 10 ins. diam. over rough hills.
63.00	A small run - Course S 20 E. up a rough hill.
84.70	To the Township line. Set Dogwood post corner of Sections 3 and 4, from which a B. Oak 15 ins. diam. bears S 30 W, 16 lks. distant, and a B. Oak 12 ins. diam. bears N 40 E, 12 links distant.

Ch. 1st

Good land. Lumber, Oak, Hickory, Sugar, Maple and Beech.

West, between Sections 4 and 7.

2.00 A run 30 links wide - Course N 80 E.

15.00 on bottom.

Over hills - Lumber, Chestnut and Poplar.

40.00 Set Cherry post corner of half Sec. 7, 8, 13, 14, from which a Hickory 8 ins. diamt. bears S 5 W, 12 links distant, and an Elm 15 ins. diamt. bears N 60 W, 42 links distant.

40.50 A small run - Course S 70 E.

Up a high and rocky hill.

80.00 To corner of sections 4, 5, 6, 7.

Broken, rocky land - Lumber, Oak, Hickory, Beech, and Chestnut.

North, between Sections 4 and 5.

5.50 A B. Oak 10 ins. diamt.

7.00 A B. Oak 12 ins. diamt.

10.20 A B. Oak 18 ins. diamt.

Over broken land.

50.00 To a small run - Course S 50 E.

A cold bed lies in the bank of the run - Rough land.

85.00 To Township line - Set Hickory post corner of Sections 4 & 5, from which a Chestnut 13 ins. diamt. bears N 20 E, 17 links distant, and a Hickory 8 ins. diamt. bears S 3 W, 17 links distant.

Poor land - Lumber, Oak, Chestnut and Hickory.

West, between Sections 5 and 6.

Over high hills - poor land.

40.00 Set Maple post corner of half Sections 9, 10, 11, 12, from which a W. Oak 20 ins. diamt. bears S 85 W, 11 links distant, and a B. Oak 5 ins. diamt. bears S 75 E, 25 links distant.

Rough land.

60.00 A run 20 links wide - Course S 20 E - Poor hills.

ch. 2 <sup>d</sup>	85.00	To corner of Sections 5 and 6, on Township line. Lumber, Oak, Hickory and Chestnut.
	North,	on West side of Section 5.
	21.50	A run 30 links wide. Course S 60 E.
	25.00	Over bottom, to the foot of a hill.
	85.00	Up hill, to the Corner of the Township - Set Dogwood post at corner, from which a W. Oak 24 ins. diam. bears S 60 W, 21 links distant, and a W. Oak 10 ins. diam. bears N 48 E, 25 links distant. Broken land. Lumber, Oak, Hickory and Chestnut. Poor soil. October 15, 1803 - At night.
		October 16, 1803.
	West,	from the North East corner of the Township, on North Boundary of Section 1. Over good hill land.
	40.00	Set Dogwood post corner of half Sections 1 and 2, from which a Hickory 20 ins. diam. bears N 45 E, 35 links distant, and a Beech 7 ins. diam. bears S 30 W, 27 links distant. Over good land.
	80.00	To corner of Sections 1 and 2. Lumber, Oak, Hickory, Beech and Maple. Dogwood and Sassafras brush.
	West,	on North Boundary of Section 2. Hills rather rough.
	11.00	A run 25 links wide. Course S 10 E. Over bottom.
	24.00	Up a hill.
	40.00	Set Chestnut post corner of $\frac{1}{2}$ Sections 3, 4, from which a W. Oak 20 ins. diam. bears N 5 E, 20 links distant, and a Gum 8 ins. diam. bears S 30 W, 5 links distant.
	80.00	On ridges, to corner of Sections 2 and 3. Lumber, Oak, Hickory, Gum, Chestnut, and Maple.

West,	on North Boundary of Section 3.
21.00	A Hickory 7 ins. diam.
30.00	A small run - Course S 10 E.
40.00	Set Hickory post corner of half Sections 5 and 6, from which a W. Ash 8 ins. diam., bears N 75 E, 30 links distant, and a Cherry 15 ins. diam., bears N 80 W, 29 links distant. This half mile, broken and rocky.
58.00	A W. Oak 20 ins. diam. Tolerably level land.
80.00	To corner of Sections 3 and 4. Timber, Oak, Hickory, Cherry and Maple.
West,	on North side of Section 4.
20.00	A small run - Course S 10 E.
40.00	Set Dogwood post corner of half Sections 7 and 8, from which a Cherry 20 ins. diam., bears S 80 W, 10 links distant, and a Gum 6 ins. diam., bears N 5 E, 4 links distant.
80.00	Rough land, to corner of Sections 4 and 5. Timber, Oak and Hickory - Dogwood undergrowth.
West,	on North Boundary of Section 5.
32.00	A run - Course S 10 E. Rough hills.
40.00	Set Hickory post corner of half Sections 9 and 10, from which a W. Oak 18 ins. diam., bears N 30 E, 30 links distant, and a W. Oak 5 ins. diam., bears S 20 W, 5 links distant.
50.00	To run bottom.
65.00	A W. Oak 13 ins. diam.
69.00	A run 10 links wide - Course S 5 E.
85.10	To North West corner of Township 8, Range 8. Set Dogwood post, from which a W. Oak 24 ins. diam., bears S 60 W, 21 links distant, and a W. Oak 10 ins. diam., bears N 78 E, 25 links distant. Good land - Timber, Oak and Hickory. Dogwood undergrowth. Surveyed in the year 1803, by Silas Bent, Deputy Surveyor.