



THOMAS E. FERGUSON
AUDITOR OF STATE
COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
Administration

RICHARD G. NUSS
CPA
Auditing Division

RUSSELL ROUCH
Management Advising
Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:


1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20

Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

Thomas Aquinas Burke
Supervisor
State Land Office



North boundary of Township 8th Range 9th

East

September 27th 1847 begun at the North west corner of Township 8th Range 9th 1/2^{mi} East

1st Mile East

51.13

a black Oak 20 inches diameter in the line

31.03

a white Oak 18 "

62.20

" " 12 "

00.00

put a post where a white Oak 11 inches diameter bears N 54° 30' E 34 1/2 fms and a black Oak 19 inches diameter bears S 47° W 44 fms - the first fifty chains the hills are high poor steep & stony in places - remainder level and middling good soil timber W of B Oak &c

2nd Mile East

14.20

a black Oak 20 inches diameter in the line

20.26

" " 14 "

54.70

a black Walnut 16 inches

60.55

a W Oak 26 inches diameter

70.70

a gum 26 inches diameter

00.00

put a Chestnut post where a black Oak 20 inches diameter bears S 75° E 14 fms and an Hickory 18 inches diameter bears N 7° 30' E 40 1/2 links the first 3/4 gentle irregular hills remainder hilly soil generally rich in places timber black Oak Hickory & rich wood and some prairie

North boundary of Township 0th Range 9th cont

East	3 rd Mile East
33.29	an Ashbury 16 inches diameter in the line
40.00	post post corner of Sections 142 90 and of
	Sections 344 94 where an Ashbury 16 inches diameter
	bears N 37° E 14 ^{ths} and a black 16 inches diameter
	bears S 43° E 14 ^{ths} with trees on the other sections
	marked and numbered per plan
	Sept 27 th 1847 - quit for the day
	Sept 28 th begun where we quit last night
00.00	put a dogwood where a forked Maple 20 inches
	diameter bears N 17° 45' E 14 ^{ths} of a white Oak 21
	inches diameter bears S 13° 30' E 21 ^h links
	quite gentle inequality fine rich soil
	Timber Black Oak Ashbury. Also met some
	white Oak dogwood rich wood and prairie
	4 th Mile East
29.60	an Ashbury 16 inches diameter in the line
54.63	a white Oak 17 inches diameter
66.02	do - do 23 do -
70.64	a run 10 ^{ths} wide from N to S
00.00	post in the edge of an huckle thicket where
	an Ashbury 10 inches diameter bears S 17° W 17 ^{ths}
	no other tree in opposite direction in proper
	distance to take the bearing of post 30 chains like
	last mile the remainder very high hills of stone
	but pretty rich soil - same timber flat on the
	run about ten chains wide -

Continued

East 5th Mile East

6-00 a white Oak 10 inches diameter in the line

13.12 do ——— 12

29.12 do ——— 30

63.25 an Hickory 10 inches diameter in the line

94.73 to the West boundary of Town 0th 6 chains South of the post set at the Northwest corner of T 0th R 0th running the North boundary of that Township from the East set a dogwood post where a 120 16 inches diameter bears S 35° 45' W 54 the marked R 9 T 0 S 1 of a black Oak 17 inches diameter bears N 44° 30' W 100 the marked R 9 T 9 S 4 — hills high and steep, poor & partly good in places Stony timber W of B Oak Chestnut & some Hickory

Mohokini Johns Creek in Township 0th Range 9th

begun where the creek enters the Township the first time — from the west boundary of T 0 R 9 run down stream —

Course	Distanc	N	S	E	W	Remarks
145.158	2.09					Bank 15 ths to left
145° E	4.54					" 25 " narrow crossing
52° E	4.24					Bank to left 50 ths
109.158	3.30					Bank 25 ths to left
61.458	3.28					" 20 "

Mohokin Johns Creek in Township 8th Range 9th cont

Course	Distance	N	S	E	W	Remarks
119° 10' E	2.35					bank 20 fms to left assumed perpendicular Rock below it
11. 50 W	2.70					Bank 15 fms to left
12° 50' W	2.47					
17° 30' W	6.30					" 30 " fms at main town end of a pond lying N of it about 150 fms wide and 50 fms long white pine on the N side opposite
10° 15' W	3.33					
11 45 E	3.07					Bank 45 fms to left
112 15 E	3.62					" " "
10 30 W	3.44					" " "
12 15 W	4.02					" 20 fms
17 25 W	5.79					" 60 "
136° W	6.56					
137° 30' W	3.60					
144° 30' W	3.90					
152 25 W	2.03					
145 45 W	2.07					to a stake where the west boundary of 10 Rg crosses the creek the second time running south

200 Chains

214.93

2^d Section No. 2

acres

Land -- 3968 ²/₃

Navigable water 31 ¹/₃

Total 4,000

2^d Section No. 1

acres 4,165 ³/₄

2^d Section No. 3

acres 4,000


2^d Section No. 4

acres 4,354 ⁹/₁₀

200 Chains

210.73

Township VIIIth
Range IXth



Scale of fifty to an Inch

200 Chains
200 Chains

194 Chains
210.60

Continued

6th
00.00

this corner comes in the creek - 11.13th to the East bank
set a post from which a buttonwood tree 8 inches diam
bears 120° E 16th marked 11.13 th E of C and a willow
6 inches diameter bears 20° N of th quite hilly except
flat on the creek hills steep and ordinary soil timber
White & Black Oak aspen & the creek flat but quiddling
soil timber principally white Oak -

5th Mile East

11.13

to East bank of Whitesomans Creek

11.40

an Elm 20 inches diameter at foot of a steep hill -

11.75

a white Oak 16 inches diameter

23.30

a white Oak 17 inches diameter

53.66

a run 6th wide from North to South

00 -

put a busines post corner to townships 0 & 9 Range
9 & 10 where a white Oak 8 inches diameter bears 120°
 45° E 52th th and a black Oak 24 inches diameter bears
 56° 30' N 23th th marked & numbered per plan
hills high steep and poor - stony in places timber
& B Oak shrubby on the points -

East boundary -

Sept 29th 1797 begun at the N E corner of

Range th on South

1st Mile South

9.01

a white Oak 12 inches diameter in the line

11.10

a run 4th wide from E to W -

East boundary of Township 0th Range 10th cont

South	1 st Mile south cont
6 th 10' 03"	over eastern end of a large rock
27' 60"	a white Oak 19 inches diameter in the line
36' 24"	a white Oak 24 inches
55' 00"	quit for the day Sept 29 th 1797 Sept 30 th begun where we quit last night
59' 45"	a small run from N E to S W
61' 07"	White Oak 17 inches diameter
72' 30"	a white Oak 12 inches diameter
00' 00"	put an iron post where a white Oak 10 inches diameter bears S 24 ^o 30' N 50' E and one other white Oak 20 inches diameter bears S 00 ^o E at this hill very high and steep stony in places soil tolerable considerable flats on the tops of the ridges timber N. Y. B. Oak with some Irony
	2 nd Mile South
41' 50"	a white Oak 30 inches diameter
44' 40"	Edge of bottom throwing E of W
171' 50"	to Mohikin Johns farm of White woman's creek from S W to N E
22'	to opposite bank
25' 39"	a buckeye 0 inches diameter
35' 54"	a B. Walnut 23 inches diameter
47' 75"	a white Oak 18 inches diameter
60' 24"	to the creek again
73' 41"	to opposite bank creek from N E to S W narrow on this side

00 put an Oak stake where a black Oak 6 inches diameter bears N 30° E 15 the distant no tree in opposite direction with a proper distance to take the bearing of bottom good hills very high steep and poor - that facing the Creek on the south side of it is covered with humlock & white pine -

3rd Mile South

1:77 a small run from E to W -
01:00 put a white Oak post corner of sections 184 of T 10 R 10 and of and of sections 2 & 3 T 10 R 9 a white Oak standing singly bears N 69° W 46 the marked & few seen no other tree in proper distance to take the bearing of marked the sections on small saplings -

02:00 put an Ash post where a white Oak 12 inches diameter bears N 57° W 46 the of a white Oak 12 inches diameter bears N 75° 30 E 47 the high steep stony barren bushy hills -

4th Mile South

4:50 a run 2 the wide from N E to S W -

0:33 Black Oak 20 inches diameter

17:73 do - 21 5° -

60:00 quit for the day Sept 30th 1797 -

Oct 1st 1797 began where we quit last night

73:47 a white Oak 24 inches diameter

00: - put a white Oak post where a white Oak 16 inches diameter bears S 06° E 31 1/2 the and one other white Oak 20 inches diameter bears N 10° W 67 the high hills very bushy but no timber stony and ordinary soil generally in places tolerable others poor timber what there is is W & B Oak -

East boundary of Township 0th Range 10th cont

		5 th Mile South	
6 ^{ths}	41.56	a run 3 ^{ths}	from NE to SW -
	15.16	a run 3 ^{ths}	from E to W
	19.17	a run 12 ^{ths}	wide from SE to NW
	22.56	a white Oak	16 inches diameter
	20.06	do	22 inches diameter
	42.95	a white Oak	11 inches diameter
	70.67	a Gum	10 inches diameter
	00.00	put a dogwood post where a white Oak 23 inches diameter bears N 44° W 35 ^{ths} marked P 10 T 8 S 4 and a Maple 12 inches diameter bears S 06° E 10 ^{ths} marked P 9 T 0 S 2 and marked the other corners per plan high steep hill poor soil little timber which is White Oak -	

enders of McChesin John's or main branch of White woman's creek - first place of entering the township from the North boundary of T 0 R 10 run down stream -

course	distance	N	S	E	W	Remarks
25° 25 E	6 ^{ths} 11.00					
37° 20 E	2.27					Bank 20 ^{ths} to left -
37° 15 E	2.30					" 25 "
24° E	3.19					" 50 "
62° 15 E	2.40					at 150 th head of a pond 50 th wide
30° 30 E	2.02					lower end of pond 60 th to NW
71.35 E	2.46					bank 25 th to left bottom corner