



THOMAS E. FERGUSON
AUDITOR OF STATE
COLUMBUS, OHIO 43216

DEPUTY AUDITORS:

JAMES A. BOLDEN
Administration

RICHARD G. NUSS
CPA
Auditing Division

RUSSELL ROUCH
Management Advising
Service

CERTIFICATION

I, Thomas Aquinas Burke, Supervisor, Land Office of the Auditor of State, duly authorized to perform the duties of the Auditor of State prescribed in Section 115.21 of the Ohio Revised Code, hereby certifies that the enclosed field notes and plats are true copies taken from records in our office. These plats and field notes are for the following townships in the United States Military District:

1. Range 4, Townships 8, 9 and 10
2. Range 5, Townships 8, 9, and 10
3. Range 6, Townships 8, 9, and 10
4. Range 7, Townships 8, 9, and 10
5. Range 8, Townships 8 and 9
6. Range 9, Townships 8 and 9

and in the Ohio River Survey

1. Range 11, Townships 14 and 15
2. Range 12, Townships 14 and 15
3. Range 13, Townships 13 and 14
4. Range 14, Townships 17 and 18
5. Range 15, Townships 19 and 20


Witness my hand and seal of the Office of the Auditor of State, at Columbus, Ohio, this Twentieth-Nine day of November in the year of Our Lord Nineteen Hundred and Eighty-Three (1983).

A handwritten signature in black ink, appearing to read "Thomas Aquinas Burke".

Thomas Aquinas Burke
Supervisor
State Land Office



Information Line toll free
1-800-282-0370



Township 9. Range 9. U. S. Military District, Ohio. 245

Ch^s Lk^t

July 6th, 1803.

Set post at the South East corner of the Township, on the side of a poor hill; from which a Chestnut 10 ins. diamt. bears S 64 E, 31 links distant, and a Hickory 9 ins. diamt. bears N 44 W, 72 links distant; and thence ran North, on East Boundary of the Township, on First mile.

- | | |
|--------|---|
| 5. 50 | A W. Oak 13 ins. diamt. |
| 6. 25 | To post at the North West corner of Township 8, Range 8, at the foot of a hill - Liner, W. oak and Hickory. |
| 14. 00 | To a run 10 links wide - Course S 15 E - A middling current. |
| 30. 00 | Up a poor, steep hill, to the top - Liner, Scrub Oak - Then descend the hill. |
| 46. 00 | To a hollow; and then rise a rocky hill. |
| 60. 00 | To the top of hill - Liner, B. Oak and Chestnut - Then descend. |
| 75. 50 | To the foot of the hill, to a run 6 links wide - Course S 25 E. Then ascend a low rise. |
| 80. 00 | To post corner of Sections 20 and 21. |

North, on Second mile, East Boundary.

- | | |
|--------|---|
| 13. 12 | A Hickory 12 ins. diamt. |
| 15. 00 | A W. Oak 16 ins. diamt. |
| 25. 50 | Good third rate land - Liner, W. oak, B. oak and Hickory. Then descend. |
| 40. 00 | To the top of a hill, where stands a number of large rocks. Liner, W. oak and B. oak. Third rate land - Then descend. |
| 53. 25 | A run 14 links wide - Course S 87 E - Middling current. |
| 64. 75 | Over a low rise, to a run 4 links wide - Course S 75 E - Then ascending. |
| 75. 00 | To the top of a hill covered with rocks and stones - Liner, Chestnut - Undergrowth, Whortleberry bushes. |
| 80. 00 | To post corner of Sections 11 and 20. |

North, on Third mile, East Boundary.

Descending a rough ridge.

ch. skt.	
33.00	A run 3 links wide. Course S 80 E. A smart current.
35.75	A run 6 links wide. Course East.
40.60	To post corner of Quarter Townships 1 and 4 of T. 9. R. 9. and corner of Quarter Townships 2 and 3. of T. 9. R. 8. from which a B. Oak 12 ins. diamt. bears N 87 W. 25 links distant, and a B. Oak, 13 ins. diamt. bears N 50 E. 31 links distant.
	Then, from the South East corner of the Township, ran West, on Township line, South Boundary of Township - On first mile. Over land thinly timbered with B. Oak and Chestnut, to a hollow. Then rising.
80.00	To post corner of Sections 21 and 22 of T. 9. and Sections 1 and 2 of T. 8., Range 9.
	Fresh, on Second mile, South Boundary.
2.25	A w. oak 17 ins. diamt. in the East side of a swamp. covered with Maple and Alder bushes.
17.00	To the west side of the swamp. [July 6. Out for the day.]
	July 7. 1803.
17.00	To a brook 30 links wide - Course S 15 E. Middling current. Then rise a steep hill.
39.00	A w. oak 14 ins. diamt.
46.75	A w. oak 15 ins. diamt. on the top of a hill, among fallen timber.
65.00	A Hickory 13 ins. diamt. Then descending.
80.00	To post corner of Sections 22 and 23, from which a B. Oak 10 ins. diamt. bears S 3 E. 43 links distant, and a Chestnut 11 ins. diamt. bears N 33 W. 60 links distant.
	Over level upland. Land 3 ^d . rate. Limber Chestnut, B. Oak and W. Oak.
	Fresh, on Third mile, South Boundary of Township.
40.80	To post corner of Quarter Townships 3 and 4 of T. 9. and Quarter Townships 1 and 2. of T. 8., Range 9. from which a W. oak 18 ins. diamt. bears N 50 W. 13 links distant, and a Chestnut. 13 ins. diamt. bears N 39 E. 33 links distant.

Ch. 1st

North, from Quarter Township post on South Boundary, through the legal center of the Township.

on first mile, East side of Half Section 46.

over level land, and middling 2^d rate soil. Timber, W. and B. Oak, and Hickory - undergrowth, Spice.

9.75 A B. Oak 16 ins. diamt.

54.25 over level land which has no timber standing, consisting of about a hundred acres, but covered with scrub oak undergrowth. To a run 12 links wide - course S 80 E. Then along the side of a ridge.

80.00 Set post corner of Half Sections 35 and 46 on center line, in the edge of a bottom, from which a Hickory 8 ins. diamt. bears S 84 E. 24 links distant and a Crab-Apple 3 ins. diamt. bears N 9 W. 13 links distant.

North, on center line, East side of half Section 35, on center line.

over bottom.

7.00 To a brook 20 links wide - course N 73 E. Slow current.

(?) 16.00 An Ash 9 ins. diamt. Middling, 2^d rate land - Timber, Ash, Swamp Oak and Hickory. Then rising gradually.
[This distance is doubtful - It seems to be 16.00, but is partly erased and apparently written over.]

27.25 To the top of a hill covered with scrub Oak and Whortleberry bushes. To a W. Oak 7 ins. diamt. Then along said ridge.

73.00 To the edge of descending ground.

80.00 Set post corner of half Sections 26 and 35, from which a W. Oak 8 ins. diamt. bears S 30 W. 20 links distant, and a B. Oak 7 ins. diamt. bears N 20 E. 27 links distant.

North, on East side of Half Section 26, on center line.

7.00 A run 3 links wide - course S 48 W. A middling current.

Then over an open ridge - Timber, W. oak, B. Oak and Chestnut - Sassafras undergrowth.

41.24 Set post corner of Quarter Township 1, 2, 3, 4, in the center of the Township.

Ch. Sk.

July 8, 1803.

West, from Quarter Township post on the South Boundary, on the South Boundary of Half Section 46.

17.60 A W. Oak 16 ins. diamt.

40.00 Set post corner of Sections 23 and 24.

West, on South Boundary of Section 24.

29.65 A run 10 links wide. Course N 15 E. A smart current. Land 2^d, rate - Lumber, W. oak B. oak and Hickory.

40.00 Set post corner of Half Sections 47 and 48. from which a Chestnut 10 ins. diamt. bears N 65 W. 48 links distant, and a Chestnut 21 ins. diamt. bears N 64 E. 21 links distant.

43.75 A B. Oak 18 ins. diamt.

78.75 A B. Oak 14 ins. diamt. Then over a gradual rise, of good 2^d. rate land.

80.00 Set post corner of Sections 24 and 25, from which a Hickory 10 ins. diamt. bears N 54 E. 39 links distant, and a W. Oak 11 ins. diamt. bears N 53 W. 21 links distant.

West, on South Boundary of Section 25.

4.75 A B. Oak 15 ins. diamt. Then gradually descending.

36.75 A W. Oak 16 ins. diamt. Middle second rate land. Lumber, W. oak and Hickory

40.00 Set post corner to half Sections 49 and 50, from which, a W. oak 16 ins. diamt. bears N 56 E. 19 links distant, and a W. oak 9 ins. diamt. bears S 76 W. 83 links distant. Then rising a steep hill.

76.00 To the top of hill - Scrub oak undergrowth - Then descend hill.

? 68.20 A W. Oak 19 ins. diamt. at the foot of said ridge - Then rise a steep, open hill. [Ridge and Hill here seem to be the same thing.]

93.00 To a W. Oak 14 ins. diamt. on the top of said hill - Good 3^d rate land. Lumber, W. oak B. oak.

99.35 To post on the South West corner of this Township, from which a B. Oak 24 ins. diamt. bears N 54 W. 24 links distant, and a W. Oak 12 ins. diamt. bears N 49 E. 65 links distant.

Ch. Skt.

North, from the South West corner of the Township on the West Boundary of Township, west side of section 25.

Rising a poor open ridge, where is an appearance of iron ore mixed with sharp [?] grit.

- 10.00 To the top of said ridge.
 13.30 A B. Oak 20 ins. diamt. Then descending ridge.
 26.00 To a hollow - Timber, W. Oak and Hickory - Then rising.
 46.00 To the top of an open ridge - Then descending.
 76.00 To a run 15 links wide - Course S 43 W - A smart current. Then gradually rising.
 80.00 Set post corner of Sections 16 and 25, from which a B. Oak 15 ins. diamt. bears N 3 E, 17 links distant, and a B. Oak — inches diamt. bears S 73 E, 42 links distant. Timber, W. and B. Oak.

North, on West side of section 16.

- 1.20 To an old section post.
 5.86 A W. Oak 13 ins. diamt.
 14.25 A W. Oak 17 ins. diamt.
 24.70 To a hollow.
 30.34 To a Blk. Oak 16 ins. diamt.
 42.90 A W. Oak 18 ins. diamt.
 45.00 A run 12 links wide - Course S 50 W. A middling current. Timber, W. Oak and Hickory.
 54.50 A W. Oak — ins. diamt.
 75.75 Over flat, high ground, to a run 8 links wide - Course west. Timber, W. Oak.
 80.00 Set post corner to Sections 15 and 16, on the side of a ridge thinly covered with scrubby oak and whortle berry bushes, from which a B. Oak 15 ins. diamt. bears N 71 W, 40 links distant, and a B. Oak... ins. diamt. bears N 35 E, 15 links distant.

North, on West side of section 15.

- 1.85 To an old section post. Then descending a steep hill.
 18.00 A run 6 links wide - Course N 49 W - A smart current. Then rising an open, steep hill.
 19.00 A B. Oak 12 ins. diamt., on the top of said hill. Then descend.

Ch. 1st

- 25.00 A run 12 links wide - Course N 50 W. Then rising a steep bank, covered with scrubby oak and whortle berry bushes.
- 42.48 To post corner of Quarter Townships 2 and 3 of J. G. R. & and Quarter Townships 1 and 4 of J. G. R. X. in a hollow, from which a W. oak 10 ins. diamt. bears N 25 E. 61 links distant and a W. oak 24 ins. diamt. bears S 50 E. 28 links distant.

July 9. 1803.

From post corner of Quarter Townships 1 and 4, ran West, on center line of the Township. On First Mile.

- 2.25 A run 10 links wide - Course S 12 E. A quiet current.
- 12.00 To the top of a steep bank - Then over level upland.
- 40.60 A W. oak 20 ins. diamt. A few poles to the North of this, is a fine spring, and an excellent bed of stone coal clear of sulphur. Timber, W. oak, Hickory and Walnut - Undergrowth, Spice.
- 70.00 On the side of descending ground, to laid Coal bed.
- 80.00 To post on center line, for one mile.

West, on Second mile, on center line.

Gradually descending ground.

- 3.95 A run 12 links wide - Course S 12 W. A middling current - Then rising.

60.25 To the top of a ridge, low - ^{timber w. & B. oak.} ~~Then over good 2^d rate land.~~

68.00 To a hollow, then rising, 75.00 Top of low ridge, then good 2^d rate land

80.00 To 2 miles post, on center line.

West, on Third mile, center line.

- 2.10 A run 8 links wide - Course S 53 E - A good current. Then rising.

12.50 To the top of a ridge running nearly East and West. Then along said ridge.

- 40.60 To post at center of Township, corner of Quarter Townships 1, 2, 3, 4, from which a Hickory 16 ins. diamt. bears S 31 E. 10 links distant, (among fallen timber) and a Hickory 6 ins. diamt. bears N 46 E. 32 links distant.

[July 9. 1803. Quit for the day.]

cht. st.

July 10th, 1803.

From post corner of Sections 23 and 24, ran
North, between Sections 23 and 24.
over level upland. Lumber, Hickory, W. oak and B. Oak - under-
growth, Sasapras. Middling 2^d rate land.

At post corner of Sections 23 and 24, on South Boundary,
a Hickory 11 ins. diamt. bears N 19 W, 74 links distant, and a
Walnut 13 ins. diamt. bears N 23 E, 149 links distant - Then
rising an open, stony ridge, covered principally with Sas-
sapras.

- 25.00 To the top of the ridge - Then descending.
60.25 A run 15 links wide - Course N 85 E. A middling current.
Middling second rate land. Lumber, Hickory and W. Oak.
75.00 To the top of a hill - Then descending.
80.00 Set post corner of Sections 17, 18, 23, 24, from which a B. Oak
14 ins. diamt. bears N 37 E, 14 links distant, and a W. oak 8 ins.
diamt. bears N 34 E, 46 links distant.

North, from post on the South Boundary line, corner of Sections 24 and
25, between Sections 24 and 25.

- Over good 2^d rate level land.
60.00 To a hollow. Lumber, B. oak, W. oak, and Hickory - Then rising
a steep, stony clear ridge.
75.00 To the top of ridge Then descending on to level upland.
80.00 Set post corner of Sections 16, 17, 24, 25, from which a
W. oak 22 ins. diamt. bears N 69 E, 24 links distant, and a
W. oak 14 ins. diamt. bears S 81 W, 14 links distant.

July 11. 1803.

North, between Sections 17 and 18.

- on descending ground.
30.00 To the edge of a bottom - Middling 1st rate land.
33.00 A run 15 links wide - Course S 40 E - A smart current.
35.00 To the foot of a ridge. Then rising.
80.00 Set post corner of Sections 13, 14, 17, 18, from which, a
B. oak 13 ins. diamt. bears N 66 E, 44 links distant, and a

Chs. like.

W. Oak 9 ins. diamt. bears S 28 W. 54 links distant.

From post corner of half Sections 35 and 46 on center line, run
West, between Sections 18 and 23, or half Sections 35 and 46.

Rising ground.

5.00 To the top of a ridge. Lumber, B. Oak and W. Oak.

13.00 To the foot of ridge - Then rising.

32.00 To the top of a ridge covered with dead Chestnut, W. Oak, and B.
Oak. Undergrowth, Sassafras.

40.00 To post corner of Sections 17, 18, 23, 24.

West, between Sections 17 and 24.

17.00 To the top of a ridge.

40.20 Set post corner of half Sections 33, 34, 47, 48, from which a
B. Oak 11 ins. diamt. bears S 15 E. 24 links distant, and a W. Oak
14 ins. diamt. bears N 13 W. 16 links distant.On level upland - Lumber, Hickory, W. and B. Oak - Then over
said land.80.40 To post corner of Sections 16, 17, 24, 25, from which a W. Oak
inf. diamt. bears N 69 E. 22 links distant, and a W. Oak
14 ins. diamt. bears S 81 W. 14 links distant.

West, between Sections 16 and 25.

Over middling level ground.

15.00 To an excellent spring, 6 links wide, flowing S 46 E - A
middling current. Then rising.20.00 To the top of a ridge - But little standing timber - undergrowth,
Sassafras, and low scrubby bushes. Then descending said
ridge, among a thicket of small oak and Aspen bushes.40.00 Set post corner of half Sections 31, 32, 49, 50, from which an
Aspen 8 ins. diamt. bears S 33 W. 32 links distant, and an Aspen
6 ins. diamt. bears N 1 E. 22 links distant.

July 11. 1803.

Then on rising ground.

55.00 To the top of a ridge - Then descending.

67.00 To a run 10 links wide - Course S 10 W - Over 2^d. rate land.

Ch. 251

- Timber, W. and B. Oak. Land middling 2nd. rate. Then rising.
 80.00 To the top of a ridge.
 99.50 To post corner of Sections 16 and 25. on the West Boundary
 of the Township.

North, between Sections 16 and 17.

- Rising a clear, stony ridge - Undergrowth, Sassafras and
 Aspen.
 32.00 To the top of ridge - Then descending.
 42.00 A run 8 links wide - Course S 30 E.

~~1~~ About 30 chains to the East of this line is an extraordinary (?)
 spring, for its coolness and clearness! And also, about forty
 acres of good, first rate bottom - Timber, W. oak, Cherry and
 Dogwood.

- 60.00 Then rising a ridge, with but little standing timber, to the top.
 Then descending.
 80.00 Set post corner of Sections 14, 15, 16, 17, from which a W. oak
 4 ins. diamt. bears S 52 W, 24 links distant, and a Chestnut 24
 ins. diamt. bears N 52 E, 49 links distant. Post & numbered
 per plan.

West, from post corner of half Sections 26 and 35 on center line,
 between half Sections 26 and 35, or Sections 13 and 18.

- 30.00 A run 10 links wide - Course S 5 E - A middling current. Then
 rising.
 40.00 To post corner of Sections 13, 14, 15, 18.

North, between Sections 13 and 14.

- Gradually rising.
 20.00 To the top of a low ridge - Then descending.
 40.94 To post corner of Sections 13 and 14, on center line.

West, between Sections 14 and 17.

- Descending land.
 40.30 Set post corner of Half Sections 27, 28, 33, 34, from which a
 W. oak 15 ins. diamt. bears S 36 E, 44 links distant, and a

Ch. Sh.

B. Oak 12 ins. diamt. bears S 67 W. 32 links distant.

Timber W. Oak and B. Oak.

48.00 A run 3 links wide - Course S 80 W.

61.00 Along a flat point, to a run 6 links wide - Course South.

Timber W. Oak. Then rising a stony ridge covered with Sassafras and Hickory bushes.

80.60 To post corner of Sections 14, 15, 16, 17.

North, between Sections 14 and 15.

Along the side of a ridge.

41.48 Set post corner of Sections 14 and 15 on center line, from which a W. Oak 24 ins. diamt. bears S 15 W. 136 links distant, and a B. Oak 12 ins. diamt. bears S 42 E. 83 links distant.

West, between Sections 15 and 16.

Over high, flat ground.

40.00 Set post corner of half Sections 29, 30, 31, 32, from which a Chestnut 20 ins. diamt. bears S 7 E. 6 links distant, and a W. Oak 12 ins. diamt. bears N 4 E. 70 links distant.

Then along the North West side of a ridge - Timber, W. Oak, B. Oak, and Hickory.

100.00 To post corner of Sections 15 and 16 on the West Boundary of the Township.

From post corner of Quarter Townships 1, 2, 3, 4, in the center of the Township, ran

west, on North side of half Section 26, on center line.

Descending land.

37.50 A run 10 links wide. Course S 15 E. A good current. Then rising a steep bank.

40.00 Set post corner of Sections 13 and 14, on center line, from which a W. Oak 24 ins. diamt. bears S 84 E. 30 links distant, and a W. Oak 10 ins. diamt. bears N 9 W. 20 links distant.

West, on center line, on North side of Section 14.

Over a low ridge covered with Scrub Oak.

Ch. Sk.

- 40.34 Set post corner of half Sections 27 and 28 in the center line, from which a Chestnut 9 ins. diamt. bears N 40 E, 19 links distant, and a B. Oak 11 ins. diamt. bears S 8 W, 25 links distant.
Along a ridge covered with scrubby, dead oak.
- 80.68 To post corner of Sections 14 and 15 in the center line.

July 12, 1803.

West, on center line, North side of Section 15.

Along level upland.

20.00 To a W. Oak 24 ins. diamt.

Middle 2^d rate land. Timber, W. Oak, B. Oak and Hickory.

40.00 Set post corner of half Sections 29 and 30 on center line, from which a B. Oak 10 ins. diamt. bears S 67 E, 15 links distant, and a B. Oak 15 ins. diamt. bears S 71 W, 58 links distant.

Level upland - Then descending, along the side of a barren ridge, with a few W. Oak trees.

70.00 To a river 5 links wide - Course S 45 W - A middling current - Then rising.

76.00 To the top of a hill. Poor, 2^d rate land - Timber, Bass & W. Oak.

100.20 To post corner of Quarter Townships 2 and 3 of this Township, and 1 and 4 of S. G. R. 10.

Then from post corner of Quarter Townships 1 and 4, ran
North, on East Boundary of Township. On Third Rule, of E. Boundary.
On level land.

11.00 To the foot of gradually rising ground.

40.00 To post corner of Sections 10 and 11, or Three rule post.

Land 3^o rate - Timber, Chestnut, B. Oak and W. Oak.

Then continued North, continuing the distances from post.

[North, on Fourth Mile of East Boundary, continuing measurements &c.]

43.00 To the edge of a swamp 70 links wide, covered with W. Oak and Hickory timber - Then over good 2^d rate level land.

70.00 To a spring head, 5 links wide - Course N 42 W.

80.00 [Set post: being the half mile post of the Fourth Mile on the East Boundary, running North.]

ch. 25.

- North [continued, on fourth mile, from half mile post].
- 31.00 A run 14 links wide - Course N 40 E. A smart current - Juniper, W. oak and Hickory.
- 42.00 To the post North East corner of this Township, in the Indian Boundary line, from which an Elm 10 ins. diamt. bears S 50 W. 14 links distant, and a Sugar 11 ins. diamt. bears S 29 E. 14 links distant.

Hence, from N. E. corner of Township, ran
S 79° 30' W. along Indian Boundary line - On first mile.
Rising ground.

- 2.96 A W. oak 32 ins. diamt.
- 4.80 A B. oak 14 ins. diamt.
- 19.20 A w. oak 20 ins. diamt.
- Level upland - Good 2^d rate land.
- 28.20 To a post in the Indian Boundary, notched N. 3. from which a W. oak 2. ins. diamt. bears N 49 E. 27 links distant, containing the marks "I. L. 34", [meaning, Israel Ludlow, 34th Mile of correction of said Indian Boundary line — Israel Ludlow, being the surveyor thereof.]
- 55.00 A run 9 links wide - Course N 60 E.
- 60.00 A run 8 links wide - Course N 10 E: A middling current - Then over level land.
- 80.00 To the foot of a ridge - Juniper, B. and W. oak - Undergrowth, sassafras - Set mile post.

July 13. 1803.

- S 79° 30' W. on Second Mile, Indian Boundary.
- 1.00 over broken land, covered thick with oak and Hickory bushes.
- 32.00 To a marsh of about 4 acres - Then along a ridge.
- 40.00 To a W. oak 19 ins. diamt.
- 50.00 A run 8 links wide - Course North.
- Then rising a steep hill.
- 73.00 To the top of the hill, covered with stones and sassafras undergrowth - Then descending.
- 80.00 To a post on the west side of a ridge, by a ledge of rocks.

Ch. St.

from which an open glen, about 36 links distant, bears N 15° E., 36 links distant, and a Chestnut 10 ins. diam., bears S 77° W., 16 links distant.

- | | |
|------------|---|
| 879.30' W. | on Indian Boundary line, on Third mile. |
| 22.00 | A run 11 links wide - Course N 11° E. A smart current - Then over level land. |
| 39.00 | A run 8 links wide - Course S 50° E. Timber principally W. oak. |
| 46.00 | To port corner of Quarter Townships 1 and 2, in the Indian Boundary line, from which a W. oak 36 ins. diam., bears N 64° W., 68 links distant, and a B. oak 18 ins. diam., bears N 71° E., 2 links distant. |

Hence, from port corner of Quarter Townships 1, 2, 3, 4, in the center of the Township, ran north, as center line.

Gradually descending.

- | | |
|-------|---|
| 21.00 | To a hollow - Then rising. |
| 36.00 | To the top of an open, stony ridge - Timber, principally Chestnut. |
| 50.00 | To the foot of said ridge - Then over level land. |
| 74.00 | To a run 12 links wide - Course N 56° E. |
| 80.20 | To the port corner of Quarter Townships 1 and 2, in the Indian Boundary line. |

July 15, 1803.

Hence from port corner of Quarter Townships 2 and 3, in the West Boundary line of the Township, ran north, on the West Boundary of the Township.

- | | |
|-------|---|
| 4.50 | To a hollow - Then rising. |
| 10.00 | To the top of an open point, covered with undergrowth of whortleberry bushes. |
| 20.40 | To a run 5 links wide - Course West. Timber, B. oak and Hickory. |
| 36.97 | To a port in the Indian Boundary line, North West corner |

ch. sk.

of Township 9 Range 9, U. S. Dist. Dist. Q.: from which post, a
R. oak 20 ins. diam. bears S 73 E. 31 links distant, and a
W. oak 18 ins. diam. bears N 45 W. 17 links distant.

Finished Survey of T. g. R. g. July 15, 1803.

~~~~~  
Surveyed in the year of our Lord, 1803, by

Abel Lewis,

Deputy Surveyor.

~~~~~